

**REMARKS**

Claims 33, 36, 37, 39, 40 and 54-62 were pending prior to entering the amendments.

**The Amendment**

SEQ ID NOs: 1-8 are inserted at the end of the specification. Applicants submit that the material being inserted is the same material incorporated by reference in the application and that the amendment contains no new matter (37CFR 1.57(f)). Each sequence is obtained from the website of European Bioinformatics Institute (EBI) <http://www.ebi.ac.uk/>, the sequence version that is closest to the priority date of this application, i.e. August 1, 2002, has been chosen for incorporation.

Incorporated Materials	Source of Amended Material	Support from Application	Sequence Version/Date (Entry History)
SEQ ID NO: 1 Gamma-Catenin	Swissprot Accession Q86W21	Page 29, Table 3	1/June 1, 2003
SEQ ID NO: 2 Ep-Cam	Swissprot Accession P16422	Page 29, Table 3	1/July 26, 2002
SEQ ID NO: 3 E-Cadherin	Swissprot Accession P12830	Page 29, Table 3	3/July 26, 2002
SEQ ID NO: 4 Alpha-1-Catenin	Swissprot Accession P35221	Page 28, Table 2	1/July 26, 2002
SEQ ID NO: 5 Alpha-2-Catenin	Swissprot Accession P26232	Page 29, Table 3	2/July 26, 2002
SEQ ID NO: 6 Beta-Catenin	Swissprot Accession P35222	Page 29, Table 3	1/July 26, 2002
SEQ ID NO: 7 Involucrin	Swissprot Accession P07476	Page 30, Table 3	1/July 26, 2002
SEQ ID NO: 8 P120	Swissprot Accession O60716	Page 29, Table 3	1/July 26, 2002

The EBI sequence entry history and sequence of each gamma-Catenin, Ep-Cam, E-cadherin, alpha-1-Catenin, alpha-2-catenin, beta-Catenin, involucrin, and p120 are attached herewith.

Claim 33 is amended to clarify the meaning of the claim. The amendment is supported by page 20, lines 13-27 and Example 5.

Claim 56 is amended to clarify the meaning of the claim. The amendments of (i) and (ii) are supported by Example 5, particularly page 46, Table 6.

No new matter is introduced in any of the above amendments.

### **Telephone Interview**

Applicants wish to thank Examiner Rawlings for the courtesy telephone interview dated April 3, 2008. Applicants have included Examiner's suggested changes in the claim amendments. Applicants are grateful to the Examiner for his valuable suggestions.

### **The Response**

#### **Non-Compliant Amendment**

- 4(a) Applicants have corrected errors in the prior amendment dated October 30, 2007 and are re-submitting the amendments herewith.
- 4(b) The identifier of Claim 33 is corrected.

#### **New Matter Objection**

5. The amendment filed July 18, 2007 is objected to because it allegedly introduces new matter into the disclosure.

Applicants have deleted the sequences of CK8, CK18, CK10, CK13, and p16<sup>INK4a</sup>. Applicants have provided a table listing the source of amended materials and the support from the application for SEQ ID NOS: 1-8. Applicants are submitting herewith the sequence entry history to show that each sequence version selected is the version of entry as of the effective filing date of the application.

As to p16<sup>INK4a</sup>, the protein sequence was first published by Serrano et al. (*Nature*, 366:704-707, 1993), a copy of which is attached herewith. P16<sup>INK4a</sup> represents a single gene product with a well-known sequence to a person skilled in the art. There is no ambiguity when reciting p16<sup>INK4a</sup> in the claims.

### **Specification Rejection**

6. The specification is objected to because of the use of improperly demarcated trademarks.  
Applicants have made proper amendments at page 41.

### **35 USC §112, First Paragraph Rejection, New Matter**

8. Claims 33, 36, 37, 39, 40 and 54-62 are rejected under 35 U.S.C. §112, first paragraph, as allegedly introducing new matters.

The amendments above have overcome this new matter rejection.

### **Claim Objections**

9. Claims 39, 40, 59, and 60  
Applicants have amended Claims 39, 40, 50 and 60 to overcome the objections.
10. Claims 54 and 55  
Claim 54 is cancelled. Applicants have amended Claim 55 to overcome the objection.
11. Claims 61 and 62  
Claim 61 is cancelled. Applicants have amended Claim 62 to overcome the objection.

### **35 USC §112, Second Paragraph, Rejection**

13. Claims 33, 36, 37, 39, 40, and 54-62 are rejected under 35 U.S.C. §112, second paragraph, as allegedly being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Applicants have properly amended the claims to address each of the rejections.

### **35 U.S.C. §112, First Paragraph Rejection, Written Description**

14. Claims 33, 36, 37, 39, 40, and 54-62 are rejected under 35 U.S.C. §112, first paragraph, as allegedly failing to comply with the written description requirement.  
Applicants have amended Claim 33 to recite an active step of determining a threshold value of the normalization marker by measuring the level of the normalization marker in a

control sample solution containing an amount of ectocervical cells or endocervical cells.

Applicants have amended Claim 56 to recite an active step of determining that (i) said human cervical body sample contains cervical dysplastic cells, cervical cancer cells, or high grade cervical intraepithelial neoplastic cells, when at least one of said normalization markers is present in the sample solution and the determined level of p16INK4a in the sample solution is elevated above the level of p16INK4a in the normal human cervical sample; or (ii) said human cervical body sample is inadequate for said determination of the presence of cervical dysplasia, cervical cancer or high grade cervical intraepithelial neoplasia, when none of said normalization markers is present.


Therefore, the §112, first paragraph rejection of Claims 33, 36, 37, 39, 40, and 55-60 and 62 should be withdrawn.

### CONCLUSION

For all the foregoing reasons, reconsideration of and withdrawal of all outstanding rejections is respectfully requested. The Examiner is earnestly solicited to allow all claims, and pass this application to issuance.

Respectfully submitted,

Date: May 14, 2008

  
\_\_\_\_\_  
Viola T. Kung, Ph.D. (Reg. No. 41,131)

Enclosures

Serrano et al., *Nature*, 366: 704-707 (1993)  
Sequence History of SEQ ID NOs:1-8

HOWREY LLP  
2941 Fairview Park Drive, Box No. 7  
Falls Church, VA 22042  
Telephone No. (650) 798-3570  
Facsimile No. (650) 798-3600

However, cyclin D/CDK4 binary complexes catalysed substantial Rb phosphorylation (Fig. 4e, f). Addition of increasing amounts of p21 resulted in the accumulation of cyclin D/CDK4/p21 ternary complexes (Fig. 4e), with a corresponding inhibition of Rb phosphorylation (Fig. 4f). Again, inclusion of PCNA was essentially without effect (our unpublished results).

The ability of p21 to inhibit such disparate cyclin/CDK kinases suggests that p21 is a universal CDK inhibitor. Thus, overexpression of p21 *in vivo* would be expected to cause cell-cycle arrest. To address this question, we examined the effect of p21 overexpression on cell proliferation using a stable colony formation assay<sup>7</sup>. Transfection of SAOS-2 cells with a pRcCMV vector alone yielded a large number of stable transformants. However, transfection with either of two independent preparations of a plasmid directing the overexpression of p21 failed to produce an appreciable number of colonies (results not shown). The effect of p21 overexpression was virtually identical to the effect of p53 overexpression in a parallel transfection. These results indicate that p21 may be an inhibitor of cell proliferation.

As we have previously found that p21 is absent from cyclin/CDK complexes in cells lacking functional p53 (ref. 1), we isolated the murine p21 cDNA (data not shown) and examined p21 messenger RNA levels in fibroblasts derived from p53-'null' mice. Compared with fibroblasts from normal embryos, p53 'null' fibroblasts showed ~50-fold lower levels of p21 mRNA (data not shown). Furthermore, p21 mRNA is induced ~10-fold by  $\gamma$ -irradiation of a p53<sup>+</sup> myeloid leukaemia cell line (mL-7) but is unchanged upon similar treatment of a myeloid leukaemia cell line that lacks p53 (HL-60; data not shown). These results indicate that p21 is regulated by the p53 pathway.

In many transformed cells, cyclins and CDKs associate in binary complexes which form the core of the cell-cycle regulatory machinery. In normal cells, a major fraction of the cyclin kinases acquires two additional subunits and thereby forms quaternary complexes<sup>4,5</sup>. We have isolated a cDNA encoding the one uncharacterized component of these quaternary complexes, p21. Reconstitution of quaternary complexes in insect cells revealed that p21 is a universal inhibitor of cyclin kinases. As such, p21 inhibits cell proliferation upon overexpression in mammalian cells. Taken in conjunction with the previously demonstrated absence of p21 protein in the cell-cycle kinase complexes of cells with deficient p53, our results indicate that p21 could be a transcriptional target of the tumour suppressor protein, p53. One function of p53 is to act in a cell signalling pathway which causes cell-cycle arrest following DNA damage (see, for example ref. 8). We suggest that p21 forms a critical link between p53 and the cell-cycle control machinery. □

Received 12 November; accepted 1 December 1993.

- 1. Xiong, Y., Zhang, H. & Beach, D. *Genes Dev.* **7**, 1572–1583 (1993).
- 2. Sherr, C. *Cell* **73**, 1059–1065 (1993).
- 3. Draetta, G. *Trends Biochem. Sci.* **15**, 378–383 (1990).
- 4. Xiong, Y., Zheng, H. & Beach, D. *Cell* **71**, 505–514 (1992).
- 5. Zhang, H., Xiong, Y. & Beach, D. *Mol. Biol. Cell* **4**, 897–906 (1993).
- 6. Matsushime, H. et al. *Cell* **71**, 323–334 (1992).
- 7. Zhu, L. et al. *Genes Dev.* **7**, 1111–1125 (1993).
- 8. Kestan, M. B. et al. *Cell* **71**, 587–597 (1992).
- 9. Kawasaki, H., Emori, Y. & Suzuki, K. *Analyt. Biochem.* **191**, 332–336 (1990).
- 10. Xiong, Y., Menninger, J., Beach, D. & Ward, D. *Genomics* **13**, 575–584 (1992).
- 11. Hannon, G. J., Demetrick, D. & Beach, D. *Genes Dev.* **7**, 2378–2391 (1993).
- 12. Draetta, G. & Beach, D. *Cell* **54**, 17–26 (1988).
- 13. Ewen, M. E. et al. *Cell* **73**, 487–497 (1993).

**ACKNOWLEDGEMENTS.** We thank J. Smith and P. Burfield for assistance with preparation of manuscript and flow cytometry, respectively; M. Ockler, P. Renne and J. Duffy for help with photography and graphics; M. Nichols, S. Matsunaga and C. Gawel for technical assistance; cloning and sequencing the p21 cDNA; S. Allan for help with the colony formation suppression assays; and M. Serrano for discussion and for help in compiling figures. Y.X. thanks Dr. J. Sherr for his help and encouragement. We also acknowledge the gift of baculovirus lines from D. Morgan (UCSF) and S. Gruenwald (Pharmingen). Y.X. is supported by the Department of Molecular Biology of the University of North Carolina, Chapel Hill. D.B. is an Investigator of the Howard Hughes Medical Institute. H.Z. is a Research Associate of the Howard Hughes Medical Institute. G.J.H. is a postdoctoral fellow of the Damon Runyon-Walter Winchell Cancer Research Fund. This work was supported by the NIH. Y.X. and G.J.H. contributed equally to this work.

## A new regulatory motif in cell-cycle control causing specific inhibition of cyclin D/CDK4

Manuel Serrano, Gregory J. Hannon  
& David Beach\*

Howard Hughes Medical Institute, Cold Spring Harbor Laboratory, PO Box 100, Cold Spring Harbor, New York 11724, USA

THE DIVISION CYCLE OF EUKARYOTIC CELLS IS REGULATED BY A FAMILY OF PROTEIN KINASES KNOWN AS THE CYCLIN-DEPENDENT KINASES (CDKs)<sup>1,2</sup>. The sequential activation of individual members of this family and their consequent phosphorylation of critical substrates promotes orderly progression through the cell cycle<sup>3,4</sup>. The complexes formed by CDK4 and the D-type cyclins have been strongly implicated in the control of cell proliferation during the G1 phase<sup>5–6</sup>. CDK4 exists, in part, as a multi-protein complex with a D-type cyclin, proliferating cell nuclear antigen and a protein, p21 (refs 7–9). CDK4 associates separately with a protein of  $M_r$  16K, particularly in cells lacking a functional retinoblastoma protein<sup>9</sup>. Here we report the isolation of a human p16 complementary DNA and demonstrate that p16 binds to CDK4 and inhibits the catalytic activity of the CDK4/cyclin D enzymes. p16 seems to act in a regulatory feedback circuit with CDK4, D-type cyclins and retinoblastoma protein.

The yeast two-hybrid protein interaction screen<sup>10</sup> was used to search for proteins that can associate with human CDK4. Two-hybrid screening relies on reconstituting a functional GAL4 transcriptional activator from two separate fusion proteins, the activation domain (GAL4<sup>ad</sup>) and the DNA-binding domain (GAL4<sup>db</sup>). A positive cDNA clone was found which contained, in-phase with GAL4<sup>ad</sup>, an open reading frame of 148 amino acids encoding a protein of  $M_r$  15,845 comprising four ankyrin repeats (Fig. 1a). We have named this protein p16<sup>INK4</sup> (inhibitor of CDK4; see below).

To test the specificity of the association between p16<sup>INK4</sup> and CDK4, yeast cells were co-transformed with a plasmid encoding the GAL4<sup>ad</sup>-p16<sup>INK4</sup> fusion and with plasmids encoding several different targets (see Fig. 1b). Only the GAL4<sup>db</sup>-CDK4 fusion interacted with GAL4<sup>ad</sup>-p16<sup>INK4</sup> to an extent that allowed growth in the absence of histidine (Fig. 1b). The specificity of this interaction was studied in a cell-free system. A fusion protein consisting of glutathione S-transferase fused to p16<sup>INK4</sup> (GST-p16<sup>INK4</sup>) was expressed in bacteria and purified. GST-p16<sup>INK4</sup> was mixed with different *in vitro*-translated <sup>35</sup>S-labelled CDKs (Fig. 1c, top), and the GST-p16<sup>INK4</sup> fusion protein was recovered from the different mixtures on glutathione-Sepharose beads. GST-p16<sup>INK4</sup> bound much more efficiently to CDK4 (>30-fold) than to the other CDKs tested (Fig. 1c, middle). The specificity of the CDK4/p16<sup>INK4</sup> interaction was also studied in insect cells infected with a recombinant baculovirus encoding p16<sup>INK4</sup> and with baculoviruses encoding CDK4 or CDK2, respectively (Fig. 1d). p16<sup>INK4</sup> was co-immunoprecipitated with anti-CDK4 (Fig. 1d, lane 1), but not with anti-CDK2 (lane 4). Conversely p16<sup>INK4</sup> antibodies co-immunoprecipitated CDK4 (Fig. 1d, lane 3), but not CDK2 (lane 6). These results demonstrate that p16<sup>INK4</sup> interacts specifically with CDK4. Glycerol gradient centrifugation indicated that CDK4 and p16<sup>INK4</sup> from insect cell extracts form a binary (1:1) complex (data not shown).


Anti-CDK4 immunoprecipitates from a normal human diploid fibroblast line, W138, revealed that CDK4 associates with several proteins, cyclin D1, proliferating cell nuclear antigen (PCNA), p21 and p16 (Fig. 2a, lane 1). Proteins present in this immunoprecipitate probably represent at least two independent

\* To whom correspondence should be addressed.


complexes, one comprising the quaternary complex of CDK4, cyclin D1, p21 and PCNA, and a binary complex containing CDK4 and p16 (refs 7–9). In contrast, in VA13 and HeLa cells, CDK4 is predominantly, if not exclusively, associated with p16 (Fig. 2a, lanes 5 and 9, respectively<sup>9</sup>). VA13 is a SV40 virus-transformed derivative of W138, and HeLa cells express the papillomavirus E6 and E7 proteins. Anti-p16<sup>INK4</sup> immunoprecipitates contained a protein of  $M_r$  16K which was readily detectable in the transformed cell lines VA13 and HeLa (Fig. 2a, lanes 7 and 11, respectively) and to a much lesser extent in the normal cell line W138 (lane 3). We also found that at least two other proteins, p33 and p38, specifically co-immunoprecipitate with p16<sup>INK4</sup> (Fig. 2a, lanes 3, 7, 11). The *N*-chlorosuccinimide (NCS) partial proteolytic pattern of the CDK4-associated p16 was

identical to the pattern generated from immunoprecipitated p16<sup>INK4</sup> (Fig. 2b, compare lanes 1 and 2). In addition, the partial V8 protease patterns of the p16-associated p33 and CDK4 were identical (Fig. 2b, compare lanes 3 and 4 with lanes 5 and 6, respectively). These results show unequivocally that our cDNA encodes the CDK4-associated p16. The other apparent p16<sup>INK4</sup>-associated protein, p38, might correspond to the CDK4-related kinase PSLIRE whose  $M_r$  is close to 38K (ref. 11).

We have reconstituted active CDK4/cyclin D complexes that can phosphorylate a fusion protein consisting of glutathione S-transferase and a fragment of the retinoblastoma protein (Rb) termed the large pocket<sup>12,13</sup> (Fig. 3a, lanes 1, 2). Addition of extracts containing p16<sup>INK4</sup> abolished phosphorylation of GST-Rb by cyclin D2/CDK4 (Fig. 3a, lanes 3–5) whereas extracts



**FIG. 1** Sequence of the human p16<sup>INK4</sup> cDNA and specific interaction between p16<sup>INK4</sup> and CDK4. **a**, Top, sequence of p16<sup>INK4</sup>. We have noted a motif at the amino terminus of p16<sup>INK4</sup> ( $M_r$  16K) (ADWLATARARERVEVRAILLEAVAPNAINS) which shows homology to the amino-terminus of the cyclin box<sup>18</sup>. This is the same region, termed the P-box, which in B-type cyclins contributes to the activation of the cdc25 phosphatase<sup>20</sup>. However, mutation of this motif affected neither CDK4 binding nor inhibition of CDK4 kinase by p16<sup>INK4</sup> (our unpublished results). Bottom, p16<sup>INK4</sup> is formed by four ankyrin repeats<sup>21</sup>. **b**, Yeast cells were simultaneously transformed with a plasmid expressing a GAL4<sup>db</sup>-INK4 fusion and with plasmids expressing the GAL4<sup>db</sup> fused to the indicated CDK, PCNA or the budding yeast kinase, Snf1. Cells containing both plasmids were streaked on plates with or without histidine. The ability to grow in the absence of histidine depends on the expression of the HIS3 gene that is under the control of a GAL4-responsive promoter. **c**, Purified, bacterially produced GST-p16<sup>INK4</sup> fusion protein was mixed with <sup>35</sup>S-labelled *In vitro*-translated CDKs, as indicated. Top, analysis of an aliquot of the *In vitro*-translated products. Centre, <sup>35</sup>S-labelled proteins recovered on glutathione-Sepharose beads following incubation with GST-p16<sup>INK4</sup>; 1% of the Input CDK4 was recovered in lane 3. Bottom, <sup>35</sup>S-labelled proteins recovered following incubation with GST. Purification of GST-p16<sup>INK4</sup>



and binding assays were done as described<sup>15</sup>. **d**, <sup>35</sup>S-labelled insect cells expressing CDK4 and p16<sup>INK4</sup> (lanes 1–3) or CDK2 and p16<sup>INK4</sup> (lanes 4–6) were immunoprecipitated with the indicated antibodies.

**METHODS.** **a**, For two-hybrid screening, human CDK4 (ref. 6) was fused to the GAL4 DNA-binding domain in the pGBT9 vector (P. Bartel and S. Fields, unpublished data). The HeLa cDNA library was constructed as described<sup>15</sup> except that a low-expression derivative (pGAD-GL) of pGAD-GH was used which lacks a 900-base pair (bp) SphI fragment from the alcohol dehydrogenase promoter. Screening was done as described<sup>15</sup>. **d**, The recombinant baculovirus expressing p16<sup>INK4</sup> was constructed using the vector pVL1393 and the Baculo-Gold kit (Pharmingen). Baculoviruses expressing CDK2 and CDK4 were obtained from D. Morgan and H. Zeng, respectively. Preparation of cell lysates and immunoprecipitation were as described<sup>15</sup>. Antisera against GST-p16<sup>INK4</sup> were generated in rabbits by Pocono Rabbit Farm and Laboratory, Inc. Antibodies were immunoaffinity purified using a CNBr-activated Sepharose 4B column (Pharmacia) as described<sup>22</sup>. The anti-CDK4 peptide antibody has been described previously<sup>9</sup>. The anti-CDK2 antibody was raised against a synthetic peptide corresponding to the carboxy-terminal region of human CDK2 (provided by K. Galaktionov).


**FIG. 2** p16<sup>INK4</sup> associates with CDK4 in human cells. *a*, Proteins were immunoprecipitated from <sup>35</sup>S-labelled lysates of WI38 (lanes 1–4), VA13 (lanes 5–8) or HeLa (lanes 9–12) cells with the indicated antibody. The identity of the proteins marked with arrows was determined previously for the anti-CDK4 immunoprecipitates<sup>7,9</sup>, and in this report for the anti-p16<sup>INK4</sup> immunoprecipitates (see *b*). *b*, p16 co-immunoprecipitated from HeLa cell lysates with anti-CDK4 (lane 1) and p16<sup>INK4</sup> immunoprecipitated from HeLa cell lysates with anti-p16<sup>INK4</sup> (lane 2) were digested with 15 mM NCS and digestion products were analysed by SDS-PAGE. CDK4 immunoprecipitated from HeLa cell lysates (lanes 3, 4) was compared with the p16<sup>INK4</sup>-associated p33 (lanes 5, 6) by partial digestion with V8 protease, 100 ng (lanes 3, 5) or 500 ng (lanes 4, 6).

**METHODS.** *a*, Immunoprecipitations were done as described<sup>7</sup>. The immunoprecipitates were separated in a 12% polyacrylamide gel (30:1 acrylamide:bis-acrylamide). In this gel system, the mobility of PCNA with respect to cyclin D1 is reversed (data not shown) in comparison with the gel system used in other reports (12.5% polyacrylamide, 125:1 acrylamide:bis-acrylamide<sup>7,9,18</sup>). *b*, In-gel partial digestion with V8 pro-

tease was performed as described<sup>22</sup>. For NCS partial digestion, gel slices were rehydrated by soaking in water and equilibrated in NCS buffer (8.3 M urea; 50% acetic acid). NCS was added and gel slices were incubated for 30 min at room temperature. Digestion was stopped by soaking in water. Before electrophoresis, gel slices were equilibrated in gel buffer (62.5 mM Tris-HCl pH 7.0, 10% glycerol, 3% SDS, 15% β-mercaptoethanol). Electrophoresis was done in gels containing 17.5% polyacrylamide (250:1 acrylamide:bis-acrylamide).


**FIG. 3** p16<sup>INK4</sup> inhibits CDK4/cyclin D2 kinase. *a*, Extracts (2 μl) from baculovirus-infected insect cells expressing CDK4 (lane 1), CDK4 plus cyclin D2 (lanes 2–8), CDK2 (lane 9) or CDK2 plus cyclin D2 (lanes 10–16) were mixed with different amounts (1 μl, lanes 3, 6, 11, 14; 2 μl, lanes 4, 7, 12, 15; and 4 μl, lanes 5, 8, 13, 16) of similar extracts containing p16<sup>INK4</sup> (lanes 3–5, 11–13) or human p53 (lanes 6–8, 14–16). Mixtures were then assayed for their ability to phosphorylate GST-Rb. *b*, Coomassie-blue-stained gel with purified His-p16<sup>INK4</sup> (lane 1) and an equivalent volume of the mock purification (lane 2). *c*, Extracts (2 μl) containing CDK4 (lane 1) or CDK4 plus cyclin D2 (lanes 2–10) were mixed with increasing amounts of purified His-p16<sup>INK4</sup> (final concentrations: 2.5 ng μl<sup>-1</sup>, lane 3; 5 ng μl<sup>-1</sup>, lane 4; 10 ng μl<sup>-1</sup>, lane 5; 20 ng μl<sup>-1</sup>, lane 6) or with the equivalent volume of the mock purification, as indicated in the figure (lanes 7–10), and tested for their ability to phosphorylate GST-Rb.

**METHODS.** *a*, The recombinant baculovirus directing the expression of cyclin D2 was obtained from S. Gruenwald. Extracts were prepared as described<sup>12</sup>. For kinase assays, extracts were mixed in kinase buffer (50 mM Tris-HCl pH 7.5, 10 mM MgCl<sub>2</sub>, 1 mM dithiothreitol) up to a final volume of 10 μl, and incubated for 10 min at 30 °C. Reactions were started by addition of 2 μl containing 125 ng of purified GST-Rb large-pocket protein<sup>12,13</sup> (the plasmid was provided by M. Ewen), 25 μM ATP and 5 μCi [<sup>32</sup>P]-γATP (3,000 Ci mmol; NEN). Reactions proceeded for 1 min at 30 °C, and were stopped by addition of 50 μl of a solution 0.5% NP40 and glutathione-Sepharose beads. Beads were loaded onto a 10% polyacrylamide gel. *b*, A recombinant baculovirus expressing His-tagged p16<sup>INK4</sup> was constructed using vector pAcSG-His-NT-C and the Baculo-Gold kit (Pharmingen). Purification was done as described<sup>23</sup>.



tease was performed as described<sup>22</sup>. For NCS partial digestion, gel slices were rehydrated by soaking in water and equilibrated in NCS buffer (8.3 M urea; 50% acetic acid). NCS was added and gel slices were incubated for 30 min at room temperature. Digestion was stopped by soaking in water. Before electrophoresis, gel slices were equilibrated in gel buffer (62.5 mM Tris-HCl pH 7.0, 10% glycerol, 3% SDS, 15% β-mercaptoethanol). Electrophoresis was done in gels containing 17.5% polyacrylamide (250:1 acrylamide:bis-acrylamide).

lanes 11–13) nor p53 (lanes 14–16) inhibited the CDK2/cyclin D2 kinase, suggesting that the inhibition of CDK4 might be related to the interaction between p16<sup>INK4</sup> and CDK4. To confirm that this inhibition was due solely to the presence of p16<sup>INK4</sup> in the insect cell lysates, we purified a histidine-tagged p16<sup>INK4</sup> protein produced in insect cells (Fig. 3*b*). The purified His-p16<sup>INK4</sup> protein inhibited the activity of the CDK4/cyclin D2 complex (Fig. 3*c*, lanes 3–6) whereas a mock purification from



insect cells infected with a non-recombinant baculovirus (expressing the polyhedrin protein) produced no detectable inhibition (Fig. 3c, lanes 7–10).

The biochemical properties of p16<sup>INK4</sup> suggest that it could act as a negative regulator of the proliferation of normal cells. The relative abundance of D-type cyclins and p16<sup>INK4</sup> could determine the activity of the CDK4 kinase and thus regulate cell-cycle progression. The exclusive presence of the p16/CDK4 complex in cells transformed by a variety of DNA tumour viruses poses a paradox. This can, however, be resolved assuming that Rb and related 'pocket proteins' are the exclusive critical substrates of cyclin D/CDK4. If this is the case, in those cells lacking functional Rb the activity of CDK4 would be unnecessary and thus the inhibitory role of p16<sup>INK4</sup> would be without effect. Consistent with this, it has been found that microinjection

Received 12 November; accepted 1 December 1993.

1. Solomon, M. *J. Curr. Opin. Cell Biol.* **5**, 180–186 (1993).
2. Nigg, E. A. *Curr. Opin. Cell Biol.* **5**, 187–193 (1993).
3. Motokura, T. & Arnold, A. *Biochim. biophys. Acta* **1155**, 63–78 (1993).
4. Sherr, C. J. *Cell* **73**, 1059–1065 (1993).
5. Matsushime, H., Roussel, M. F., Ashmun, R. A. & Sherr, C. J. *Cell* **65**, 701–713 (1991).
6. Matsushime, H. et al. *Cell* **73**, 323–334 (1992).
7. Xiong, Y., Shang, H. & Beach, D. *Cell* **71**, 505–514 (1992).
8. Zhang, H., Xiong, Y. & Beach, D. *Moleo. Biol. Cell* **4**, 897–906 (1993).
9. Xiong, Y., Zhang, H. & Beach, D. *Genes Dev.* **7**, 1572–1583 (1993).
10. Fields, S. & Song, O. *Nature* **340**, 245–246 (1989).
11. Meyerson, M. et al. *EMBO J.* **11**, 2809–2817 (1992).
12. Kato, J.-Y., Matsushime, H., Hiebert, S. W., Ewen, M. E. & Sherr, C. J. *Genes Dev.* **7**, 331–342 (1993).
13. Ewen, M. E. et al. *Cell* **73**, 487–497 (1993).
14. Zhu, L. et al. *Genes Dev.* **7**, 1111–1125 (1993).
15. Hannon, G. J., Demetrick, D. & Beach, D. *Genes Dev.* **7**, 2378–2391 (1993).
16. Li, Y., Graham, C., Lacy, S., Duncan, A. M. V. & Whyte, P. *Genes Dev.* **7**, 2366–2377 (1993).
17. Lukas, J., Pagano, M., Staskova, Z., Draetta, G. & Bartek, J. *Oncogene* [In the press].

of cyclin D1 antibodies into SV40-transformed fibroblasts or Rb-defective SAOS-2 cells fails to cause cell-cycle arrest<sup>17</sup>. p16<sup>INK4</sup> may act in normal cells in a negative feedback loop whose role is to downregulate CDK4 once Rb has been inactivated by phosphorylation. In cells in which Rb is constitutively inactive, p16<sup>INK4</sup> expression is increased, with consequent inhibition of CDK4. However, in this situation, the negative feedback loop is futile as CDK4 kinase is not required for cell-cycle progression.

We have identified two different negative regulators of cyclin kinases. Our data suggest that p21 affects cell-cycle arrest induced by p53 (ref. 18). p16<sup>INK4</sup> is proposed to act both upstream and downstream of Rb to form a negative feedback loop which regulates the ability of Rb to prevent cell proliferation. □

18. Xiong, Y. et al. *Nature* **366**, 701–704 (1993).
19. Lees, E. M. & Harlow, E. *Moleo. cell. Biol.* **13**, 1194–1201 (1993).
20. Zheng, X.-F. & Ruderman, J. V. *Cell* **76**, 155–164 (1993).
21. McShee, P. & Bonnet, V. *Trends Cell Biol.* **2**, 127–129 (1992).
22. Harlow, E. & Lane, D. *Antibodies: A Laboratory Manual* (Cold Spring Harbor Laboratory Press, New York, 1988).
23. Chen, X.-S., Brash, A. R. & Funk, C. D. *Eur. J. Biochem.* **214**, 845–852 (1993).

**ACKNOWLEDGEMENTS.** We thank P. Bartek and S. Fields (SUNY, Stony Brook, New York) for providing plasmids and strains before publication, D. Morgan (UCSF), S. Gruenwald (Pharmingen) and C. Prives (Columbia University) for giving us different recombinant baculoviruses, M. Ewen (Dana Farber Cancer Institute) for providing the plasmid that directs the expression of GST-Rb, G. Draetta and M. Pagano (Miltox) for communicating their unpublished results, members of our laboratory, H. Zhang, K. Galaktionov and D. Cassar for critical reading of the manuscript, and C. Gawel and S. Matsumoto for technical assistance. M.S. is recipient of a long-term EMBO fellowship, and G.J.H. is a postdoctoral fellow of the Damon Runyon–Walter Winchell Cancer Research Fund. D.B. is an investigator of the Howard Hughes Medical Institute. This work was supported in part by the NIH.

## Inhibition of CDK2 activity in vivo by an associated 20K regulatory subunit

Yong Gu\*, Christoph W. Turck† & David O. Morgan\*‡

Departments of \* Physiology and † Medicine, and ‡ Howard Hughes Medical Institute, University of California, San Francisco, California 94143, USA

THE major events of the cell division cycle are triggered by periodic changes in the activity of cyclin-dependent protein kinases (CDKs). In mammals, the members of the CDK family include CDK2 and CDC2, which are thought to be involved in the control of DNA replication and mitosis, respectively<sup>1–3</sup>. The protein kinase activity of these enzymes is controlled by a complex array of mechanisms<sup>4–6</sup>. Activation of the CDK catalytic subunit requires association with a positive regulatory subunit (cyclin) and phosphorylation (at Thr 160 in CDK2). This activated complex can be inhibited by additional phosphorylation at Thr 14 and Tyr 15. Here we report the identification of a new mechanism for the regulation of CDK2 activity. We find that CDK2/cyclin complexes in mouse fibroblasts associate tightly with a 20K protein (CAP20). Complexes containing CAP20 were isolated from cell lysates and found to have negligible kinase activity, indicating that CAP20 association *in vivo* may inhibit CDK2 activity. We purified CAP20 from 3T3 cells and found that low concentrations of the protein completely inhibit the kinase activity of CDK2 *in vitro*. Thus CAP20 represents a new negative regulatory subunit that inhibits the activity of CDK2/cyclin complexes in mammalian cells.

Our search for new regulators of CDK2 began with analyses of proteins that associate with CDK2 in mouse BALB/c 3T3 fibroblasts. When CDK2 is immunoprecipitated from metabolically labelled lysates of these cells, two other proteins are also specifically immunoprecipitated (Fig. 1a, lanes 1–4). The larger protein ( $M_r \sim 55,000$  (55K)) is recognized by antibodies directed against cyclin A (results not shown) and probably represents cyclin A, the major cyclin partner for CDK2. The nature of the smaller protein ( $M_r \sim 20K$ ) is not known; we refer to this protein as CDK2-associated protein-20 (CAP20). CAP20 is not detectable in immunoprecipitates of CDC2 (Fig. 1a, lanes 5 and 6).

We found that cation-exchange chromatography can be used to isolate a subpopulation of CDK2 that is associated with CAP20. Metabolically labelled cell lysates were passed over an S-Sepharose column, which was washed and then eluted with low salt (100 mM NaCl) and then with high salt (500 mM NaCl). Immunoprecipitation analysis revealed that CDK2 in the high-salt eluate, but not in other fractions, is associated with cyclin A and CAP20 (Fig. 1b). Immunoprecipitates of cyclin A from the high-salt eluate also contained CAP20 (Fig. 1c). Thus CAP20 is present in immunoprecipitates of both CDK2 and cyclin A from this fraction, suggesting that CAP20 is associated with CDK2/cyclin A complexes.

We next used a similar procedure to separate CDK2/cyclin complexes containing CAP20 from those lacking the protein. Crude cell lysates were injected onto a Mono-S column, which was washed with 100 mM NaCl and then eluted with a linear salt gradient up to 500 mM NaCl. CDK2 eluted at two distinct positions: peak I eluted at ~250 mM NaCl and Peak II eluted at ~450 mM NaCl (Fig. 2a, b). Gel filtration analysis showed that CDK2 in both peaks migrated at the large size characteristic of CDK/cyclin complexes (Fig. 2c). Interestingly, measurement of CDK2 activity in Mono-S fractions revealed that CDK2 in peak II was essentially inactive (Fig. 2b). We estimate that the

\* To whom correspondence should be addressed.

Search in	Protein Knowledgebase (UniProtKB)
Query	<input type="text"/>
<input type="button" value="Search"/> <input type="button" value="Clear"/> <input type="button" value="Print"/>	

## Search in

Protein Knowledgebase (UniProtKB)

## Query

## ID Mapping

 Retrieve Align Blast Search

## UniProtKB Entry Q86W21 – History

## Versions

Entry	Sequence	Entry Name	Info	Releases	Database	Number	Date	Compare
<input type="checkbox"/> 34 .txt	1 .fasta			UniProtKB/TrEMBL	12.8 / 37.8	2008-02-05	<input checked="" type="radio"/>	<input type="radio"/>
<input type="checkbox"/> 33 .txt	1 .fasta			UniProtKB/TrEMBL	12.1 / 37.1	2007-08-21	<input type="radio"/>	<input checked="" type="radio"/>
<input type="checkbox"/> 32 .txt	1 .fasta			UniProtKB/TrEMBL	12.0 / 37.0	2007-07-24	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> 31 .txt	1 .fasta			UniProtKB/TrEMBL	11.3 / 36.3	2007-07-10	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> 30 .txt	1 .fasta			UniProtKB/TrEMBL	10.5 / 35.5	2007-05-15	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> 29 .txt	1 .fasta			UniProtKB/TrEMBL	10.4 / 35.4	2007-05-01	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> 28 .txt	1 .fasta			UniProtKB/TrEMBL	10.2 / 35.2	2007-04-03	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> 27 .txt	1 .fasta			UniProtKB/TrEMBL	10.0 / 35.0	2007-03-06	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> 26 .txt	1 .fasta			UniProtKB/TrEMBL	9.7 / 34.7	2007-02-20	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> 25 .txt	1 .fasta			UniProtKB/TrEMBL	9.6 / 34.6	2007-02-06	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> 24 .txt	1 .fasta			UniProtKB/TrEMBL	9.4 / 34.4	2007-01-09	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> 23 .txt	1 .fasta			UniProtKB/TrEMBL	9.3 / 34.3	2006-12-12	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> 22 .txt	1 .fasta			UniProtKB/TrEMBL	9.2 / 34.2	2006-11-28	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> 21 .txt	1 .fasta			UniProtKB/TrEMBL	9.0 / 34.0	2006-10-31	<input type="radio"/>	<input type="radio"/>

□	<b>20</b> .txt	1.fasta	UniProtKB/TREMBL	8.9 / 33.9	2006-10-17	○
□	<b>19</b> .txt	1.fasta	UniProtKB/TREMBL	8.6 / 33.6	2006-09-05	○
□	<b>18</b> .txt	1.fasta	UniProtKB/TREMBL	8.2 / 33.2	2006-06-27	○
□	<b>17</b> .txt	1.fasta	UniProtKB/TREMBL	8.1 / 33.1	2006-06-13	○
□	<b>16</b> .txt	1.fasta	UniProtKB/TREMBL	8.0 / 33.0	2006-05-30	○
□	<b>15</b> .txt	1.fasta	UniProtKB/TREMBL	7.0 / 32.0	2006-02-07	○
□	<b>14</b> .txt	1.fasta	UniProtKB/TREMBL	6.7 / 31.7	2005-12-20	○
□	<b>13</b> .txt	1.fasta	UniProtKB/TREMBL	5.8 / 30.8	2005-08-30	○
□	<b>12</b> .txt	1.fasta	UniProtKB/TREMBL	5.1 / 30.1	2005-05-24	○
□	<b>11</b> .txt	1.fasta	UniProtKB/TREMBL	5.0 / 30.0	2005-05-10	○
□	<b>10</b> .txt	1.fasta	UniProtKB/TREMBL	4.3 / 29.3	2005-03-15	○
□	<b>9</b> .txt	1.fasta	UniProtKB/TREMBL	4.0 / 29.0	2005-02-01	○
□	<b>8</b> .txt	1.fasta	UniProtKB/TREMBL	3.5 / 28.5	2005-01-04	○
□	<b>7</b> .txt	1.fasta	UniProtKB/TREMBL	3.4 / 28.4	2004-12-21	○
□	<b>6</b> .txt	1.fasta	UniProtKB/TREMBL	3.0 / 28.0	2004-10-25	○
□	<b>5</b> .txt	1.fasta	UniProtKB/TREMBL	2.0 / 27.0	2004-07-05	○
□	<b>4</b> .txt	1.fasta	UniProtKB/TREMBL	1.7 / 26.1	2004-04-13	○
□	<b>3</b> .txt	1.fasta	UniProtKB/TREMBL	1.0 / 25.7	2003-12-15	○
□	<b>2</b> .txt	1.fasta	TREMBL	25	2003-10-01	○
□	<b>1</b> .txt	1.fasta	TREMBL	24	2003-06-01	○

>TrEMBL|Q86W21|Release 24|01-JUN-2003  
MEVMNLMEQPIKVTEWQQTYDSGIHSAGANTCVPSSKGIMEEDEACGRQYTLKKTTT  
YTQGVPPSQGDLEYQMSTTARAKRVREAMCSGVSGEDSSLLLATQVEGQATNLQRLAEPS  
QLLKSAILVHLINYQDDAELATRALPELTKLLNDEDPVVVTKAAMIVNQLSKKEASRRALM  
GSPQLVAAVVRTMQNTSDLDTARCTTSILHNLHHREGLLAIFKSGGI PALVRMILSSPVE  
SVLFYAITTLHNLLLYQEGAKMAVRLADGLQKMVPPLNKNNPKFLAITTDCLQLLAYGNQ  
ESKLII LANGGPQALVQIMRNYSYEKLLWTTSRVLKVLSCPNSNKP AIVEAGGMQALGKH  
LTSNSPRLVQNCLWTLRNLSDVATKQEGLESVLKILVNQLSVDDNVNLTCATGTLSNLTC  
NN SKNKT LVTQNSGVEALIHAILRAGDKDDITEPAVCALRHLSRHPEAEMAQNSVRLNY  
GIPAIVKLLNQPQWPPLVKATIGLIRNLALCPANHAPLQEAAVIPRLVQOLLVKAHQDAQR  
HVAAGTQQPYTDGVRMEEIVEGCTGALHILARDPMNRMEIFRLNTIPLFVQLLYSSVENI  
QRVAAGVLCELAQDKEAADIDAEGASAPLMELLHSRNEGATYAAAVLFRISEDKNPDY  
RKRVSVELTNSLFKHDPAAEWAQSMIPINEYGDDDATYRPMYSSDVPLDPLEMHMDM  
DGDYPIDTYS DGLRPPYPTADHMLA

2

P16422 – History

**Search in**

- Protein Knowledgebase (UniProtKB)

**Query**

- ID Mapping
- Retrieve
- Align
- Blast
- Search

## UniProtKB Entry P16422 – History

Entry	Sequence	Info		Database	Number	Date	<input type="button" value="Compare"/>
		Versions	Release				
<input type="checkbox"/> <b>84</b> .txt	2.fasta	TACD1_HUMAN		UniProtKB/Swiss-Prot	13.0 / 55.0	2008-02-26	<input checked="" type="radio"/>
<input type="checkbox"/> <b>83</b> .txt	2.fasta	TACD1_HUMAN		UniProtKB/Swiss-Prot	12.5 / 54.5	2007-11-13	<input type="radio"/>
<input type="checkbox"/> <b>82</b> .txt	1.fasta	TACD1_HUMAN		UniProtKB/Swiss-Prot	12.4 / 54.4	2007-10-23	<input type="radio"/>
<input type="checkbox"/> <b>81</b> .txt	1.fasta	TACD1_HUMAN		UniProtKB/Swiss-Prot	12.3 / 54.3	2007-10-02	<input type="radio"/>
<input type="checkbox"/> <b>80</b> .txt	1.fasta	TACD1_HUMAN		UniProtKB/Swiss-Prot	12.0 / 54.0	2007-07-24	<input type="radio"/>
<input type="checkbox"/> <b>79</b> .txt	1.fasta	TACD1_HUMAN		UniProtKB/Swiss-Prot	11.3 / 53.3	2007-07-10	<input type="radio"/>
<input type="checkbox"/> <b>78</b> .txt	1.fasta	TACD1_HUMAN		UniProtKB/Swiss-Prot	11.1 / 53.1	2007-06-12	<input type="radio"/>
<input type="checkbox"/> <b>77</b> .txt	1.fasta	TACD1_HUMAN		UniProtKB/Swiss-Prot	10.4 / 52.4	2007-05-01	<input type="radio"/>
<input type="checkbox"/> <b>76</b> .txt	1.fasta	TACD1_HUMAN		UniProtKB/Swiss-Prot	9.7 / 51.7	2007-02-20	<input type="radio"/>
<input type="checkbox"/> <b>75</b> .txt	1.fasta	TACD1_HUMAN		UniProtKB/Swiss-Prot	9.6 / 51.6	2007-02-06	<input type="radio"/>
<input type="checkbox"/> <b>74</b> .txt	1.fasta	TACD1_HUMAN		UniProtKB/Swiss-Prot	9.5 / 51.5	2007-01-23	<input type="radio"/>
<input type="checkbox"/> <b>73</b> .txt	1.fasta	TACD1_HUMAN		UniProtKB/Swiss-Prot	9.3 / 51.3	2006-12-12	<input type="radio"/>
<input type="checkbox"/> <b>72</b> .txt	1.fasta	TACD1_HUMAN		UniProtKB/Swiss-Prot	9.2 / 51.2	2006-11-28	<input type="radio"/>
<input type="checkbox"/> <b>71</b> .txt	1.fasta	TACD1_HUMAN		UniProtKB/Swiss-Prot	9.1 / 51.1	2006-11-14	<input type="radio"/>

70 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	9.0 / 51.0	2006-10-31	○
69 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	8.8 / 50.8	2006-10-03	○
68 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	8.7 / 50.7	2006-09-19	○
67 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	8.6 / 50.6	2006-09-05	○
66 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	8.2 / 50.2	2006-06-27	○
65 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	8.1 / 50.1	2006-06-13	○
64 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	8.0 / 50.0	2006-05-30	○
63 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	7.7 / 49.7	2006-05-16	○
62 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	7.5 / 49.5	2006-04-18	○
61 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	7.4 / 49.4	2006-04-04	○
60 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	7.0 / 49.0	2006-02-07	○
59 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	6.9 / 48.9	2006-01-24	○
58 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	6.8 / 48.8	2006-01-10	○
57 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	6.7 / 48.7	2005-12-20	○
56 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	6.6 / 48.6	2005-12-06	○
55 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	6.5 / 48.5	2005-11-22	○
54 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	6.0 / 48.0	2005-09-13	○
53 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	5.5 / 47.5	2005-07-19	○
52 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	5.0 / 47.0	2005-05-10	○
51 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	4.3 / 46.3	2005-03-15	○
50 .txt	1 .fasta TACD1_HUMAN	UniProtKB/Swiss-Prot	4.0 / 46.0	2005-02-01	○
49 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	3.5 / 45.5	2005-01-04	○
48 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	3.4 / 45.4	2004-12-21	○
47 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	2.7 / 44.7	2004-10-11	○
46 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	2.6 / 44.6	2004-09-27	○
45 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	2.1 / 44.1	2004-07-19	○
44 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	2.0 / 44.0	2004-07-05	○
43 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	1.12 / 43.6	2004-06-21	○
42 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	1.10 / 43.4	2004-05-24	○

□	41 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	1.9 / 43.3	2004-05-10	○
□	40 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	1.8 / 43.2	2004-04-26	○
□	39 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	1.7 / 43.1	2004-04-13	○
□	38 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	1.6 / 43.0	2004-03-29	○
□	37 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	1.3 / 42.10	2004-02-16	○
□	36 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	1.2 / 42.9	2004-02-02	○
□	35 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	1.1 / 42.8	2004-01-16	○
□	34 .txt	1 .fasta TTD1_HUMAN	UniProtKB/Swiss-Prot	1.0 / 42.7	2003-12-15	○
□	33 .txt	1 .fasta TTD1_HUMAN	Swiss-Prot	42.0	2003-10-10	○
□	32 .txt	1 .fasta TTD1_HUMAN	Swiss-Prot	41.9	2003-05-23	○
□	31 .txt	1 .fasta TTD1_HUMAN	Swiss-Prot	41.1	2003-03-25	○
□	30 .txt	1 .fasta TTD1_HUMAN	Swiss-Prot	41.0	2003-02-28	○
□	29 .txt	1 .fasta TTD1_HUMAN	Swiss-Prot	40.42	2003-02-01	○
□	28 .txt	1 .fasta TTD1_HUMAN	Swiss-Prot	40.24	2002-07-26	○
□	27 .txt	1 .fasta TTD1_HUMAN	Swiss-Prot	40.23	2002-07-11	○
□	26 .txt	1 .fasta TTD1_HUMAN	Swiss-Prot	40.3	2001-11-16	○
□	25 .txt	1 .fasta TTD1_HUMAN	Swiss-Prot	40.0	2001-10-18	○
□	24 .txt	1 .fasta TTD1_HUMAN	Swiss-Prot	39.27	2001-09-26	○
□	23 .txt	1 .fasta G732_HUMAN	Swiss-Prot	39.26	2001-08-29	○
□	22 .txt	1 .fasta G732_HUMAN	Swiss-Prot	39.17	2001-04-27	○
□	21 .txt	1 .fasta G732_HUMAN	Swiss-Prot	39.12	2001-01-11	○
□	20 .txt	1 .fasta G732_HUMAN	Swiss-Prot	39.10	2000-12-01	○
□	19 .txt	1 .fasta G732_HUMAN	Swiss-Prot	39.0	2000-05-30	○
□	18 .txt	1 .fasta G732_HUMAN	Swiss-Prot	38.0	1999-07-15	○
□	17 .txt	1 .fasta G732_HUMAN	Swiss-Prot	37.0	1998-12-15	○
□	16 .txt	1 .fasta G732_HUMAN	Swiss-Prot	35.0	1997-11-01	○
□	15 .txt	1 .fasta G732_HUMAN	Swiss-Prot	34.0	1996-10-01	○
□	14 .txt	1 .fasta G732_HUMAN	Swiss-Prot	33.0	1996-02-01	○
□	13 .txt	1 .fasta G732_HUMAN	Swiss-Prot	32.0	1995-11-01	○

<input type="checkbox"/>	<b>12</b> .txt	1.fasta	G732_HUMAN	Swiss-Prot	31.0	1995-02-01	<input type="radio"/>
<input type="checkbox"/>	<b>11</b> .txt	1.fasta	G732_HUMAN	Swiss-Prot	29.0	1994-06-01	<input type="radio"/>
<input type="checkbox"/>	<b>10</b> .txt	1.fasta	G732_HUMAN	Swiss-Prot	28.0	1994-02-01	<input type="radio"/>
<input type="checkbox"/>	<b>9</b> .txt	1.fasta	G732_HUMAN	Swiss-Prot	27.0	1993-10-01	<input type="radio"/>
<input type="checkbox"/>	<b>8</b> .txt	1.fasta	G732_HUMAN	Swiss-Prot	26.0	1993-07-01	<input type="radio"/>
<input type="checkbox"/>	<b>7</b> .txt	1.fasta	G732_HUMAN	Swiss-Prot	24.0	1992-12-01	<input type="radio"/>
<input type="checkbox"/>	<b>6</b> .txt	1.fasta	G732_HUMAN	Swiss-Prot	23.0	1992-08-01	<input type="radio"/>
<input type="checkbox"/>	<b>5</b> .txt	1.fasta	EGP_HUMAN	Swiss-Prot	21.0	1992-03-01	<input type="radio"/>
<input type="checkbox"/>	<b>4</b> .txt	1.fasta	EGP\$HUMAN	Swiss-Prot	20.0	1991-11-01	<input type="radio"/>
<input type="checkbox"/>	<b>3</b> .txt	1.fasta	EGP\$HUMAN	Swiss-Prot	19.0	1991-08-01	<input type="radio"/>
<input type="checkbox"/>	<b>2</b> .txt	1.fasta	KSA\$HUMAN	Swiss-Prot	18.0	1991-05-01	<input type="radio"/>
<input type="checkbox"/>	<b>1</b> .txt	1.fasta	KSA\$HUMAN	Swiss-Prot	15.0	1990-08-01	<input type="radio"/>

>Swiss-Prot|P16422|Release 40.24|26-JUL-2002  
MAPPVQLAFGLLLAATATFAAAQEEVCENYKLAVNCVNNNRQCQCTSVGAQNTVICS  
KLAALKLVMKAEMNGSKLGRRAKPEGALQNNDGLYDPDCDESGLFKAKQCNGTSTCWCVN  
TAGVRRTDKDTEITCSERVRTWIIIELKHKAPEKPYDSKSLRTALQKEITTRYQLDPKF  
ITSILYENNVTIDLVQNSSQKTQNDVDIADVAYYFEKDVKGESLFHSKKMDLTVNGEQL  
DLDPGQTЛИYYVDEKAPEFSMQGLKAGVIAVIVVVMAVVAGIVVLVISRKKRMAKYEKA  
EIKEMGEMHRELNA

Search in	<input type="text" value="UniProtKB"/>
Query	<input type="text"/>
Search	<input type="button" value="Search"/>
Clear	<input type="button" value="Clear"/>
Downloads	<input type="button" value="Content"/>
Help	<input type="button" value="Help"/>

UniProtKB Entry P12830 – History

Releases					
Versions	Entry	Sequence	Entry Name	Database	Number
					Date
111 .txt		3 .fasta	CADH1_HUMAN	UniProtKB/Swiss-Prot	13.3 / 55.3
110 .txt		3 .fasta	CADH1_HUMAN	UniProtKB/Swiss-Prot	13.2 / 55.2
109 .txt		3 .fasta	CADH1_HUMAN	UniProtKB/Swiss-Prot	13.1 / 55.1
108 .txt		3 .fasta	CADH1_HUMAN	UniProtKB/Swiss-Prot	13.0 / 55.0
107 .txt		3 .fasta	CADH1_HUMAN	UniProtKB/Swiss-Prot	12.8 / 54.8
106 .txt		3 .fasta	CADH1_HUMAN	UniProtKB/Swiss-Prot	12.7 / 54.7
105 .txt		3 .fasta	CADH1_HUMAN	UniProtKB/Swiss-Prot	12.6 / 54.6
104 .txt		3 .fasta	CADH1_HUMAN	UniProtKB/Swiss-Prot	12.5 / 54.5
103 .txt		3 .fasta	CADH1_HUMAN	UniProtKB/Swiss-Prot	12.3 / 54.3
102 .txt		3 .fasta	CADH1_HUMAN	UniProtKB/Swiss-Prot	12.2 / 54.2
101 .txt		3 .fasta	CADH1_HUMAN	UniProtKB/Swiss-Prot	12.0 / 54.0
100 .txt		3 .fasta	CADH1_HUMAN	UniProtKB/Swiss-Prot	11.3 / 53.3
99 .txt		3 .fasta	CADH1_HUMAN	UniProtKB/Swiss-Prot	11.2 / 53.2
98 .txt		3 .fasta	CADH1_HUMAN	UniProtKB/Swiss-Prot	11.1 / 53.1

□	97 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	11.0 / 53.0	2007-05-29
□	96 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	10.4 / 52.4	2007-05-01
□	95 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	10.3 / 52.3	2007-04-17
□	94 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	10.2 / 52.2	2007-04-03
□	93 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	10.1 / 52.1	2007-03-20
□	92 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	9.7 / 51.7	2007-02-20
□	91 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	9.5 / 51.5	2007-01-23
□	90 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	9.3 / 51.3	2006-12-12
□	89 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	9.2 / 51.2	2006-11-28
□	88 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	9.1 / 51.1	2006-11-14
□	87 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	9.0 / 51.0	2006-10-31
□	86 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	8.9 / 50.9	2006-10-17
□	85 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	8.8 / 50.8	2006-10-03
□	84 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	8.7 / 50.7	2006-09-19
□	83 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	8.6 / 50.6	2006-09-05
□	82 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	8.4 / 50.4	2006-07-25
□	81 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	8.0 / 50.0	2006-05-30
□	80 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	7.7 / 49.7	2006-05-16
□	79 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	7.5 / 49.5	2006-04-18
□	78 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	7.4 / 49.4	2006-04-04
□	77 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	7.2 / 49.2	2006-03-07
□	76 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	7.0 / 49.0	2006-02-07
□	75 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	6.9 / 48.9	2006-01-24
□	74 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	6.6 / 48.6	2005-12-06
□	73 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	6.5 / 48.5	2005-11-22
□	72 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	6.0 / 48.0	2005-09-13
□	71 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	5.8 / 47.8	2005-08-30
□	70 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	5.5 / 47.5	2005-07-19
□	69 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	5.4 / 47.4	2005-07-05

68 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	5.0 / 47.0	2005-05-10
67 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	4.6 / 46.6	2005-04-26
66 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	4.5 / 46.5	2005-04-12
65 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	4.3 / 46.3	2005-03-15
64 .txt	3 .fasta CADH1_HUMAN	UniProtKB/Swiss-Prot	4.0 / 46.0	2005-02-01
63 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	3.5 / 45.5	2005-01-04
62 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	3.4 / 45.4	2004-12-21
61 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	2.7 / 44.7	2004-10-11
60 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	2.6 / 44.6	2004-09-27
59 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	2.5 / 44.5	2004-09-13
58 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	2.3 / 44.3	2004-08-16
57 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	2.1 / 44.1	2004-07-19
56 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	2.0 / 44.0	2004-07-05
55 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	1.12 / 43.6	2004-06-21
54 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	1.10 / 43.4	2004-05-24
53 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	1.7 / 43.1	2004-04-13
52 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	1.6 / 43.0	2004-03-29
51 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	1.2 / 42.9	2004-02-02
50 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	1.1 / 42.8	2004-01-16
49 .txt	3 .fasta CAD1_HUMAN	UniProtKB/Swiss-Prot	1.0 / 42.7	2003-12-15
48 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	42.0	2003-10-10
47 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	41.23	2003-09-09
46 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	41.13	2003-06-20
45 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	41.10	2003-05-30
44 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	41.9	2003-05-23
43 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	41.8	2003-05-16
42 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	41.2	2003-03-28
41 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	41.1	2003-03-25
40 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	41.0	2003-02-28

39 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	40.39	2003-01-10
38 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	40.32	2002-11-01
37 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	40.29	2002-10-10
36 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	40.28	2002-09-19
35 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	40.24	2002-07-26
34 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	40.8	2002-01-23
33 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	40.3	2001-11-16
32 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	40.0	2001-10-18
31 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	39.26	2001-08-29
30 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	39.23	2001-07-11
29 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	39.22	2001-06-20
28 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	39.17	2001-04-27
27 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	39.13	2001-01-24
26 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	39.12	2001-01-11
25 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	39.10	2000-12-01
24 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	39.0	2000-05-30
23 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	38.0	1999-07-15
22 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	37.0	1998-12-15
21 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	36.0	1998-07-15
20 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	35.0	1997-11-01
19 .txt	3 .fasta CAD1_HUMAN	Swiss-Prot	34.0	1996-10-01
18 .txt	3 .fasta CADE_HUMAN	Swiss-Prot	33.0	1996-02-01
17 .txt	3 .fasta CADE_HUMAN	Swiss-Prot	32.0	1995-11-01
16 .txt	3 .fasta CADE_HUMAN	Swiss-Prot	31.0	1995-02-01
15 .txt	3 .fasta CADE_HUMAN	Swiss-Prot	30.0	1994-10-01
14 .txt	3 .fasta CADE_HUMAN	Swiss-Prot	29.0	1994-06-01
13 .txt	3 .fasta CADE_HUMAN	Swiss-Prot	28.0	1994-02-01
12 .txt	3 .fasta CADE_HUMAN	Swiss-Prot	27.0	1993-10-01
11 .txt	3 .fasta CADE_HUMAN	Swiss-Prot	26.0	1993-07-01

<input type="checkbox"/>	<b>10</b> .txt	2.fasta CADE_HUMAN	Swiss-Prot	24.0	1992-12-01
<input type="checkbox"/>	<b>9</b> .txt	2.fasta CADE_HUMAN	Swiss-Prot	22.0	1992-05-01
<input type="checkbox"/>	<b>8</b> .txt	2.fasta CADE_HUMAN	Swiss-Prot	21.0	1992-03-01
<input type="checkbox"/>	<b>7</b> .txt	2.fasta CADE\$HUMAN	Swiss-Prot	20.0	1991-11-01
<input type="checkbox"/>	<b>6</b> .txt	2.fasta CADE\$HUMAN	Swiss-Prot	19.0	1991-08-01
<input type="checkbox"/>	<b>5</b> .txt	2.fasta CADE\$HUMAN	Swiss-Prot	18.0	1991-05-01
<input type="checkbox"/>	<b>4</b> .txt	2.fasta CADE\$HUMAN	Swiss-Prot	17.0	1991-02-01
<input type="checkbox"/>	<b>3</b> .txt	1.fasta CADE\$HUMAN	Swiss-Prot	16.0	1990-11-01
<input type="checkbox"/>	<b>2</b> .txt	1.fasta CADE\$HUMAN	Swiss-Prot	14.0	1990-04-01
<input type="checkbox"/>	<b>1</b> .txt	1.fasta CADE\$HUMAN	Swiss-Prot	12.0	1989-10-01

>Swiss-Prot|P12830|Release 40.24|26-JUL-2002  
MGPWSRSLALLLQVSSWLCQEPEPCHPGFDAESYTFTVPRRHLEGRVLGRVNFEDC  
TGRQRTAYFSLDTRFKVGTDGVITVKRPLRFHNPOIHFLVYAWDSTYRKFSTKVTLNTVG  
HHHRPPHQASVSGIQAELLTFPNSSPGLRRQKRDWVIPPISCPENEKGPFPKNLVQIKS  
NKDKEGKVFSITQGADTPPGVFIERETGWLKVTEPLDRERIATYTLFHAVSSNGN  
AVEDPMEILITVTDQNDNKPEFTQEVFKG SVMEGALPGTSVMEVTATDADDVN TYNAAI  
AYTILSQDPELPDKNMFTINRNTGVISVTTGLDRESFPTYTLVQADLQGEGLSTTAT  
AVITVTDNDNPPIFNPTTYKGQVPENEANVVITTLKVTDADAPNTPAWEAVY TILNDDG  
GQFVVTTNPVNNDGILKTAKGLDFEAQQYILHVAVTNVVPFEVSLTTSTATTVDVLDV  
NEAPIFVPPEKRVEVSEDFGVGQEIITSYTAQE PDTFMEQKIT YRIWRDTANWLEINPD TG  
AISTRAELDREDFEHVKNSTYTALIIATDNGSPVATGTGTL LLSVDVNDN API PEPRTI  
FFCERNPKPQVINIIDADLPPNTSPFTAELTHGASANWTIQYNDPTQESIILKPKMALEV  
GDYKINLKLMDNQNKDQVTTLEVSVCDCEGAAGVCRKAQPV EAGLQIPAILGILGGILAL  
LIL LLLLFLRRRAVVKEPLL PPEDDTRDNVYYDEEGGEE DQDFDLSQLHRLGDARP  
EVTRNDVAPTLMSVPRYLPRPANPDEIGNFIDENLKAADTDPTAPPYDSLLVFDYEGSGS  
EAASLSSLNSSES DKQDYDYLNEWGNRFKKLADMYGGGEDD

UniProtKB Entry P35221 – History

<b>Search in</b>	Protein Knowledgebase (UniProtKB)
<b>Query</b>	<input type="text"/>
<b>Fields</b> >	<input type="button" value="Search"/> <input type="button" value="Clear"/>

- ID Mapping
- Retrieve
- Align
- Blast
- Search

## UniProtKB Entry P35221 – History

<b>Versions</b>	<b>Info</b>			<b>Releases</b>	
	Entry	Sequence	Entry Name	Database	Date
<input type="checkbox"/> 83 .txt	1 .fasta	CTNA1_HUMAN	UniProtKB/Swiss-Prot	13.2 / 55.2	2008-04-08
<input type="checkbox"/> 82 .txt	1 .fasta	CTNA1_HUMAN	UniProtKB/Swiss-Prot	13.0 / 55.0	2008-02-26
<input type="checkbox"/> 81 .txt	1 .fasta	CTNA1_HUMAN	UniProtKB/Swiss-Prot	12.7 / 54.7	2008-01-15
<input type="checkbox"/> 80 .txt	1 .fasta	CTNA1_HUMAN	UniProtKB/Swiss-Prot	12.6 / 54.6	2007-12-04
<input type="checkbox"/> 79 .txt	1 .fasta	CTNA1_HUMAN	UniProtKB/Swiss-Prot	12.5 / 54.5	2007-11-13
<input type="checkbox"/> 78 .txt	1 .fasta	CTNA1_HUMAN	UniProtKB/Swiss-Prot	12.3 / 54.3	2007-10-02
<input type="checkbox"/> 77 .txt	1 .fasta	CTNA1_HUMAN	UniProtKB/Swiss-Prot	12.2 / 54.2	2007-09-11
<input type="checkbox"/> 76 .txt	1 .fasta	CTNA1_HUMAN	UniProtKB/Swiss-Prot	12.1 / 54.1	2007-08-21
<input type="checkbox"/> 75 .txt	1 .fasta	CTNA1_HUMAN	UniProtKB/Swiss-Prot	12.0 / 54.0	2007-07-24
<input type="checkbox"/> 74 .txt	1 .fasta	CTNA1_HUMAN	UniProtKB/Swiss-Prot	11.3 / 53.3	2007-07-10
<input type="checkbox"/> 73 .txt	1 .fasta	CTNA1_HUMAN	UniProtKB/Swiss-Prot	11.1 / 53.1	2007-06-12
<input type="checkbox"/> 72 .txt	1 .fasta	CTNA1_HUMAN	UniProtKB/Swiss-Prot	10.5 / 52.5	2007-05-15
<input type="checkbox"/> 71 .txt	1 .fasta	CTNA1_HUMAN	UniProtKB/Swiss-Prot	10.4 / 52.4	2007-05-01
<input type="checkbox"/> 70 .txt	1 .fasta	CTNA1_HUMAN	UniProtKB/Swiss-Prot	10.1 / 52.1	2007-03-20

69 .txt	1 .fasta CTNA1_HUMAN	UniProtKB/Swiss-Prot	9.7 / 51.7	2007-02-20
68 .txt	1 .fasta CTNA1_HUMAN	UniProtKB/Swiss-Prot	9.6 / 51.6	2007-02-06
67 .txt	1 .fasta CTNA1_HUMAN	UniProtKB/Swiss-Prot	9.5 / 51.5	2007-01-23
66 .txt	1 .fasta CTNA1_HUMAN	UniProtKB/Swiss-Prot	9.4 / 51.4	2007-01-09
65 .txt	1 .fasta CTNA1_HUMAN	UniProtKB/Swiss-Prot	9.3 / 51.3	2006-12-12
64 .txt	1 .fasta CTNA1_HUMAN	UniProtKB/Swiss-Prot	9.2 / 51.2	2006-11-28
63 .txt	1 .fasta CTNA1_HUMAN	UniProtKB/Swiss-Prot	9.0 / 51.0	2006-10-31
62 .txt	1 .fasta CTNA1_HUMAN	UniProtKB/Swiss-Prot	8.9 / 50.9	2006-10-17
61 .txt	1 .fasta CTNA1_HUMAN	UniProtKB/Swiss-Prot	8.8 / 50.8	2006-10-03
60 .txt	1 .fasta CTNA1_HUMAN	UniProtKB/Swiss-Prot	8.7 / 50.7	2006-09-19
59 .txt	1 .fasta CTNA1_HUMAN	UniProtKB/Swiss-Prot	8.6 / 50.6	2006-09-05
58 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	8.4 / 50.4	2006-07-25
57 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	8.1 / 50.1	2006-06-13
56 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	8.0 / 50.0	2006-05-30
55 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	7.7 / 49.7	2006-05-16
54 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	7.5 / 49.5	2006-04-18
53 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	7.4 / 49.4	2006-04-04
52 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	7.3 / 49.3	2006-03-21
51 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	7.2 / 49.2	2006-03-07
50 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	7.0 / 49.0	2006-02-07
49 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	6.9 / 48.9	2006-01-24
48 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	6.6 / 48.6	2005-12-06
47 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	6.5 / 48.5	2005-11-22
46 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	6.4 / 48.4	2005-11-08
45 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	6.0 / 48.0	2005-09-13
44 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	5.5 / 47.5	2005-07-19
43 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	5.2 / 47.2	2005-06-07
42 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	5.0 / 47.0	2005-05-10
41 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	4.6 / 46.6	2005-04-26

40 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	4.5 / 46.5	2005-04-12
39 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	4.3 / 46.3	2005-03-15
38 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	3.5 / 45.5	2005-01-04
37 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	3.4 / 45.4	2004-12-21
36 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	2.7 / 44.7	2004-10-11
35 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	2.3 / 44.3	2004-08-16
34 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	2.1 / 44.1	2004-07-19
33 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	2.0 / 44.0	2004-07-05
32 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	1.12 / 43.6	2004-06-21
31 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	1.10 / 43.4	2004-05-24
30 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	1.7 / 43.1	2004-04-13
29 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	1.6 / 43.0	2004-03-29
28 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	1.3 / 42.10	2004-02-16
27 .txt	1 .fasta CTN1_HUMAN	UniProtKB/Swiss-Prot	1.1 / 42.8	2004-01-16
26 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	42.0	2003-10-10
25 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	41.25	2003-09-26
24 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	41.8	2003-05-16
23 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	41.5	2003-04-23
22 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	41.4	2003-04-11
21 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	41.0	2003-02-28
20 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	40.37	2002-12-06
19 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	40.28	2002-09-19
18 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	40.24	2002-07-26
17 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	40.16	2002-05-02
16 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	40.0	2001-10-18
15 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	39.26	2001-08-29
14 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	39.22	2001-06-20
13 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	39.17	2001-04-27
12 .txt	1 .fasta CTN1_HUMAN	Swiss-Prot	39.12	2001-01-11

<input type="checkbox"/>	<b>11</b> .txt	1.fasta	CTN1_HUMAN	Swiss-Prot	39.10	2000-12-01
<input type="checkbox"/>	<b>10</b> .txt	1.fasta	CTN1_HUMAN	Swiss-Prot	39.0	2000-05-30
<input type="checkbox"/>	<b>9</b> .txt	1.fasta	CTN1_HUMAN	Swiss-Prot	38.0	1999-07-15
<input type="checkbox"/>	<b>8</b> .txt	1.fasta	CTN1_HUMAN	Swiss-Prot	37.0	1998-12-15
<input type="checkbox"/>	<b>7</b> .txt	1.fasta	CTN1_HUMAN	Swiss-Prot	35.0	1997-11-01
<input type="checkbox"/>	<b>6</b> .txt	1.fasta	CTNA_HUMAN	Swiss-Prot	34.0	1996-10-01
<input type="checkbox"/>	<b>5</b> .txt	1.fasta	CTNA_HUMAN	Swiss-Prot	33.0	1996-02-01
<input type="checkbox"/>	<b>4</b> .txt	1.fasta	CTNA_HUMAN	Swiss-Prot	32.0	1995-11-01
<input type="checkbox"/>	<b>3</b> .txt	1.fasta	CTNA_HUMAN	Swiss-Prot	31.0	1995-02-01
<input type="checkbox"/>	<b>2</b> .txt	1.fasta	CTNA_HUMAN	Swiss-Prot	29.0	1994-06-01
<input type="checkbox"/>	<b>1</b> .txt	1.fasta	CTNA_HUMAN	Swiss-Prot	28.0	1994-02-01

>Swiss-Prot|P35221|Release 40.24|26-JUL-2002  
MTAVHAGNINFWKWDPKSLEIRTLAVERLLEPLVTQVTTLVNTNSKGPSNKKRGRSKKAAHV  
LAASVEQATENFLEKGDKIAKESQFLKEELVAAVEDVRKQGDLMKAAAGEFADDPCCSSVK  
RGNMVRAARALLSAVTRLLILADMADVYKLLVQLKVVEDGILKLRNAGNEQDLGIQYKAL  
KPEVDKLNIMAAKRQQELKDVGHDRQMAAARGIILQKNVPILYTASQACLQHPDVAAYKAN  
RDLIYKQLQQAVTGISNAAQATASDDASQHQGGGGELAYALNNFDKQIIVDPLSFSEER  
FRPSLEERLESIISGAALMADSSCTRDRRERIVAECNAVQALQDLISEYMGNAGRKER  
SDALNSAIDKMTKKTRDLRQLRKAVMDHVSDFLETNVPLLVLIEAAKNGNEKEVKEYA  
QVFREHANKLIEVANLACISNNEEGVKLVRMSASQLEALCPQVINAALALAACPQSCL  
QENMDLFKEQWEKQVRVLTDADDDITSIDDFLAVSENHILEDVNKCVIALQEKDVGGLDR  
TAGAIRGRAARVIHVVTSEMDNYEPGVYTEKVLEATKLLSNTVMPRFTEQVEAAVEALSS  
DPAQPMEDENEFIGASRLVYDGIRDIRKAVLMIRTPEELDDDFETEDFDVRSRTSVQTED  
DQLIAGQSARAIMAQLPQEQQAKIAEQVASFQEESKLDAEVSKWDDSGNDIIVLAKQMC  
MIMMEMTDFTRGKGPLKNTSDVISAACKKIAEAGSRMDKLGRTIADHCPDSACKQDLLAYL  
QRIALYCHQLNICSKVKAEVQNLGGELVVSGVDSAMSLIQAAKNLMNAVQTVKASYVAS  
TKYQKSQGMASLNLPAVSWKMKAPEKKPLVKREKQDETQTKIKRASQKKHVNPVQALSEF  
KAMDSI

P26232 – History

**Search in**

**Protein Knowledgebase (UniProtKB)**

**Query**

**Versions**

- ID Mapping
- Retrieve
- Align
- Blast
- Search

**Info**

Entry	Sequence	Entry Name	Database	Date
<b>76</b> .txt	5.fasta	CTNA2_HUMAN	UniProtKB/Swiss-Prot	13.3 / 55.3 2008-04-29
<b>75</b> .txt	5.fasta	CTNA2_HUMAN	UniProtKB/Swiss-Prot	13.2 / 55.2 2008-04-08
<b>74</b> .txt	5.fasta	CTNA2_HUMAN	UniProtKB/Swiss-Prot	13.1 / 55.1 2008-03-18
<b>73</b> .txt	5.fasta	CTNA2_HUMAN	UniProtKB/Swiss-Prot	13.0 / 55.0 2008-02-26
<b>72</b> .txt	5.fasta	CTNA2_HUMAN	UniProtKB/Swiss-Prot	12.5 / 54.5 2007-11-13
<b>71</b> .txt	5.fasta	CTNA2_HUMAN	UniProtKB/Swiss-Prot	12.3 / 54.3 2007-10-02
<b>70</b> .txt	5.fasta	CTNA2_HUMAN	UniProtKB/Swiss-Prot	12.2 / 54.2 2007-09-11
<b>69</b> .txt	5.fasta	CTNA2_HUMAN	UniProtKB/Swiss-Prot	12.1 / 54.1 2007-08-21
<b>68</b> .txt	5.fasta	CTNA2_HUMAN	UniProtKB/Swiss-Prot	12.0 / 54.0 2007-07-24
<b>67</b> .txt	5.fasta	CTNA2_HUMAN	UniProtKB/Swiss-Prot	11.3 / 53.3 2007-07-10
<b>66</b> .txt	5.fasta	CTNA2_HUMAN	UniProtKB/Swiss-Prot	11.1 / 53.1 2007-06-12
<b>65</b> .txt	5.fasta	CTNA2_HUMAN	UniProtKB/Swiss-Prot	10.4 / 52.4 2007-05-01
<b>64</b> .txt	5.fasta	CTNA2_HUMAN	UniProtKB/Swiss-Prot	10.1 / 52.1 2007-03-20
<b>63</b> .txt	5.fasta	CTNA2_HUMAN	UniProtKB/Swiss-Prot	9.6 / 51.6 2007-02-06

**Releases**

## UniProtKB Entry P26232 – History

<input type="checkbox"/>	<b>62</b> .txt	5 .fasta CTNA2_HUMAN	UniProtKB/Swiss-Prot	9.5 / 51.5	2007-01-23
<input type="checkbox"/>	<b>61</b> .txt	4 .fasta CTNA2_HUMAN	UniProtKB/Swiss-Prot	9.3 / 51.3	2006-12-12
<input type="checkbox"/>	<b>60</b> .txt	4 .fasta CTNA2_HUMAN	UniProtKB/Swiss-Prot	9.2 / 51.2	2006-11-28
<input type="checkbox"/>	<b>59</b> .txt	4 .fasta CTNA2_HUMAN	UniProtKB/Swiss-Prot	9.0 / 51.0	2006-10-31
<input type="checkbox"/>	<b>58</b> .txt	4 .fasta CTNA2_HUMAN	UniProtKB/Swiss-Prot	8.9 / 50.9	2006-10-17
<input type="checkbox"/>	<b>57</b> .txt	4 .fasta CTNA2_HUMAN	UniProtKB/Swiss-Prot	8.8 / 50.8	2006-10-03
<input type="checkbox"/>	<b>56</b> .txt	4 .fasta CTNA2_HUMAN	UniProtKB/Swiss-Prot	8.7 / 50.7	2006-09-19
<input type="checkbox"/>	<b>55</b> .txt	4 .fasta CTNA2_HUMAN	UniProtKB/Swiss-Prot	8.6 / 50.6	2006-09-05
<input type="checkbox"/>	<b>54</b> .txt	3 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	8.4 / 50.4	2006-07-25
<input type="checkbox"/>	<b>53</b> .txt	3 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	8.2 / 50.2	2006-06-27
<input type="checkbox"/>	<b>52</b> .txt	3 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	8.1 / 50.1	2006-06-13
<input type="checkbox"/>	<b>51</b> .txt	3 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	8.0 / 50.0	2006-05-30
<input type="checkbox"/>	<b>50</b> .txt	3 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	7.6 / 49.6	2006-05-02
<input type="checkbox"/>	<b>49</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	7.5 / 49.5	2006-04-18
<input type="checkbox"/>	<b>48</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	7.4 / 49.4	2006-04-04
<input type="checkbox"/>	<b>47</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	7.1 / 49.1	2006-02-21
<input type="checkbox"/>	<b>46</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	7.0 / 49.0	2006-02-07
<input type="checkbox"/>	<b>45</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	6.9 / 48.9	2006-01-24
<input type="checkbox"/>	<b>44</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	6.6 / 48.6	2005-12-06
<input type="checkbox"/>	<b>43</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	6.4 / 48.4	2005-11-08
<input type="checkbox"/>	<b>42</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	6.3 / 48.3	2005-10-25
<input type="checkbox"/>	<b>41</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	5.8 / 47.8	2005-08-30
<input type="checkbox"/>	<b>40</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	5.5 / 47.5	2005-07-19
<input type="checkbox"/>	<b>39</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	5.0 / 47.0	2005-05-10
<input type="checkbox"/>	<b>38</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	4.5 / 46.5	2005-04-12
<input type="checkbox"/>	<b>37</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	4.3 / 46.3	2005-03-15
<input type="checkbox"/>	<b>36</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	3.5 / 45.5	2005-01-04
<input type="checkbox"/>	<b>35</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	3.4 / 45.4	2004-12-21
<input type="checkbox"/>	<b>34</b> .txt	2 .fasta CTN2_HUMAN	UniProtKB/Swiss-Prot	2.1 / 44.1	2004-07-19

□	<b>33</b> .txt	2.fasta	CTN2_HUMAN	UniProtKB/Swiss-Prot	2.0 / 44.0	2004-07-05
□	<b>32</b> .txt	2.fasta	CTN2_HUMAN	UniProtKB/Swiss-Prot	1.7 / 43.1	2004-04-13
□	<b>31</b> .txt	2.fasta	CTN2_HUMAN	Swiss-Prot	41.17	2003-07-19
□	<b>30</b> .txt	2.fasta	CTN2_HUMAN	Swiss-Prot	41.9	2003-05-23
□	<b>29</b> .txt	2.fasta	CTN2_HUMAN	Swiss-Prot	41.1	2003-03-25
□	<b>28</b> .txt	2.fasta	CTN2_HUMAN	Swiss-Prot	41.0	2003-02-28
□	<b>27</b> .txt	2.fasta	CTN2_HUMAN	Swiss-Prot	40.24	2002-07-26
□	<b>26</b> .txt	2.fasta	CTN2_HUMAN	Swiss-Prot	40.16	2002-05-02
□	<b>25</b> .txt	2.fasta	CTN2_HUMAN	Swiss-Prot	40.15	2002-04-16
□	<b>24</b> .txt	2.fasta	CTN2_HUMAN	Swiss-Prot	40.0	2001-10-18
□	<b>23</b> .txt	2.fasta	CTN2_HUMAN	Swiss-Prot	39.26	2001-08-29
□	<b>22</b> .txt	2.fasta	CTN2_HUMAN	Swiss-Prot	39.24	2001-08-14
□	<b>21</b> .txt	2.fasta	CTN2_HUMAN	Swiss-Prot	39.23	2001-07-11
□	<b>20</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	39.22	2001-06-20
□	<b>19</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	39.17	2001-04-27
□	<b>18</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	39.14	2001-02-21
□	<b>17</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	39.12	2001-01-11
□	<b>16</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	39.10	2000-12-01
□	<b>15</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	39.0	2000-05-30
□	<b>14</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	38.0	1999-07-15
□	<b>13</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	37.0	1998-12-15
□	<b>12</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	35.0	1997-11-01
□	<b>11</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	34.0	1996-10-01
□	<b>10</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	33.0	1996-02-01
□	<b>9</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	32.0	1995-11-01
□	<b>8</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	29.0	1994-06-01
□	<b>7</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	28.0	1994-02-01
□	<b>6</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	27.0	1993-10-01
□	<b>5</b> .txt	1.fasta	CTN2_HUMAN	Swiss-Prot	26.0	1993-07-01

<input type="checkbox"/>	<b>4</b> .txt	1.fasta	CTNR_HUMAN	Swiss-Prot	25.0	1993-04-01	<input type="checkbox"/>
<input type="checkbox"/>	<b>3</b> .txt	1.fasta	CTNR_HUMAN	Swiss-Prot	24.0	1992-12-01	<input type="checkbox"/>
<input type="checkbox"/>	<b>2</b> .txt	1.fasta	CTNR_HUMAN	Swiss-Prot	23.0	1992-08-01	<input type="checkbox"/>
<input type="checkbox"/>	<b>1</b> .txt	1.fasta	CTNR_HUMAN	Swiss-Prot	22.0	1992-05-01	<input type="checkbox"/>

© 2002–2008 UniProt Consortium | License & Disclaimer | Contact

>Swiss-Prot|P26232|Release 40.24|26-JUL-2002  
MTSATSPIILKWDPKSLEIRTLTVERLLEPLVTQTTLVNTSNKGPSGKKGRSKAHVL  
AASVEQATQNLFLEKGEQIAKESQDLKEELVAAVEDVRKOGETMRIASSEFADDPCSSVKR  
GTMVRAARALLSAVTRLLILADMDVMRLLSHLKIVEEALAEAVKNATNEQDLANRFKEFG  
KKMVKLNYVAARRQQELKDPMRDEMAAARGALKKNATMLYTASQAFLRHPDVAATRANR  
DYVFKQVQEAIAGISNAAQATSPTDEAKGHTGIGELAAALNEFDNKIILDPMTFSEARFR  
PSLEERLEIISGAALMADSSCTRDRRERIVAECAVNRQALQDLLSEYMNNTGRKEKGD  
PLNIAIDKMTKKTRDLRQLRKAVMDHISDSFLETNVPLLVLIEAAKSGNEKEVKEYAQV  
FREHANKLVEVANLACSIINNEGVKLVRMAATQIDSCLCPQVINAALTAAARPQSKVAQD  
NMDVFKDQWEKQVRVLTEAVDDITSVDDFLSVSENHILEDVNKCVIALQEGDVDTLDRTA  
GAIRGRAARVIHIINAEMENYEAGVYTEKVLEATKLLSETVMPRFAEQVEVAIEALSANV  
PQPFEENEFIDASRLVYDGVRDIFKAVLMIRTPEELEDDSDFEQEDYDVRRGTSVQTEDD  
QLIAGQSARAIMAQLPQEEKAKIAEQVEIFHQEKSKLDAEVAKWDDSGNDIIVLAKQMCM  
IMMEMTDFTRGKGPLKNTSDVINAACKIAEAGSRMDKLARAVADQCPDSACKQDLLAYLQ  
RIALYCHQLNICSKVKAEVQNLGGELIVSGTGVQSTFTFYEVDCDVIDGGRASQLSTHL  
PTCAEGAPIGSGSSDSSMLDSATSLIQAAKNLMNAVVLTVKASYVASTKYQKVYGTAAVN  
SPVVSWMKAPEKKPLVKREKPEEFQTRVRRGSQKKHISPQALSEFKAMDSF



□	91.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	11.0 / 53.0	2007-05-29
□	90.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	10.5 / 52.5	2007-05-15
□	89.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	10.4 / 52.4	2007-05-01
□	88.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	10.3 / 52.3	2007-04-17
□	87.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	10.2 / 52.2	2007-04-03
□	86.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	10.1 / 52.1	2007-03-20
□	85.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	9.7 / 51.7	2007-02-20
□	84.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	9.6 / 51.6	2007-02-06
□	83.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	9.5 / 51.5	2007-01-23
□	82.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	9.4 / 51.4	2007-01-09
□	81.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	9.3 / 51.3	2006-12-12
□	80.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	9.2 / 51.2	2006-11-28
□	79.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	9.1 / 51.1	2006-11-14
□	78.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	9.0 / 51.0	2006-10-31
□	77.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	8.9 / 50.9	2006-10-17
□	76.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	8.8 / 50.8	2006-10-03
□	75.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	8.7 / 50.7	2006-09-19
□	74.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	8.6 / 50.6	2006-09-05
□	73.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	8.4 / 50.4	2006-07-25
□	72.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	8.2 / 50.2	2006-06-27
□	71.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	8.1 / 50.1	2006-06-13
□	70.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	8.0 / 50.0	2006-05-30
□	69.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	7.7 / 49.7	2006-05-16
□	68.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	7.6 / 49.6	2006-05-02
□	67.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	7.5 / 49.5	2006-04-18
□	66.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	7.4 / 49.4	2006-04-04
□	65.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	7.3 / 49.3	2006-03-21
□	64.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	7.2 / 49.2	2006-03-07
□	63.txt	1.fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	7.1 / 49.1	2006-02-21

□	<b>62</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	7.0 / 49.0	2006-02-07
□	<b>61</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	6.9 / 48.9	2006-01-24
□	<b>60</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	6.7 / 48.7	2005-12-20
□	<b>59</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	6.6 / 48.6	2005-12-06
□	<b>58</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	6.3 / 48.3	2005-10-25
□	<b>57</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	6.0 / 48.0	2005-09-13
□	<b>56</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	5.7 / 47.7	2005-08-16
□	<b>55</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	5.5 / 47.5	2005-07-19
□	<b>54</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	5.4 / 47.4	2005-07-05
□	<b>53</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	5.2 / 47.2	2005-06-07
□	<b>52</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	5.1 / 47.1	2005-05-24
□	<b>51</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	5.0 / 47.0	2005-05-10
□	<b>50</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	4.6 / 46.6	2005-04-26
□	<b>49</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	4.3 / 46.3	2005-03-15
□	<b>48</b> .txt	1 .fasta	CTNB1_HUMAN	UniProtKB/Swiss-Prot	4.0 / 46.0	2005-02-01
□	<b>47</b> .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	3.5 / 45.5	2005-01-04
□	<b>46</b> .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	3.4 / 45.4	2004-12-21
□	<b>45</b> .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	3.2 / 45.2	2004-11-23
□	<b>44</b> .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	3.1 / 45.1	2004-11-09
□	<b>43</b> .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	2.7 / 44.7	2004-10-11
□	<b>42</b> .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	2.6 / 44.6	2004-09-27
□	<b>41</b> .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	2.5 / 44.5	2004-09-13
□	<b>40</b> .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	2.3 / 44.3	2004-08-16
□	<b>39</b> .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	2.1 / 44.1	2004-07-19
□	<b>38</b> .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	2.0 / 44.0	2004-07-05
□	<b>37</b> .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	1.12 / 43.6	2004-06-21
□	<b>36</b> .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	1.11 / 43.5	2004-06-07
□	<b>35</b> .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	1.10 / 43.4	2004-05-24
□	<b>34</b> .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	1.8 / 43.2	2004-04-26

□	33 .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	1.7 / 43.1	2004-04-13
□	32 .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	1.6 / 43.0	2004-03-29
□	31 .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	1.5 / 42.12	2004-03-15
□	30 .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	1.3 / 42.10	2004-02-16
□	29 .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	1.2 / 42.9	2004-02-02
□	28 .txt	1 .fasta	CTNB_HUMAN	UniProtKB/Swiss-Prot	1.1 / 42.8	2004-01-16
□	27 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	42.0	2003-10-10
□	26 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	41.13	2003-06-20
□	25 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	41.9	2003-05-23
□	24 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	41.7	2003-05-09
□	23 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	41.5	2003-04-23
□	22 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	41.4	2003-04-11
□	21 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	41.1	2003-03-25
□	20 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	41.0	2003-02-28
□	19 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	40.28	2002-09-19
□	18 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	40.24	2002-07-26
□	17 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	40.20	2002-06-06
□	16 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	40.18	2002-05-15
□	15 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	40.8	2002-01-23
□	14 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	40.0	2001-10-18
□	13 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	39.26	2001-08-29
□	12 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	39.22	2001-06-20
□	11 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	39.17	2001-04-27
□	10 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	39.12	2001-01-11
□	9 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	39.10	2000-12-01
□	8 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	39.0	2000-05-30
□	7 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	38.0	1999-07-15
□	6 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	37.0	1998-12-15
□	5 .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	34.0	1996-10-01

<input type="checkbox"/>	<b>4</b> .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	33.0
<input type="checkbox"/>	<b>3</b> .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	32.0
<input type="checkbox"/>	<b>2</b> .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	29.0
<input type="checkbox"/>	<b>1</b> .txt	1 .fasta	CTNB_HUMAN	Swiss-Prot	28.0

>Swiss-Prot|P35222|Release 40.24|26-JUL-2002  
MATQADLMELDMAMEPDRKAAVSHWQQQSFTQEQVADIDGQYAMTRAQRVRAAMFPETLDEGMQIPSTQFDAAHPT  
OVLYEWEQGFSQSFTQEQVADIDGQYAMTRAQRVRAAMFPETLDEGMQIPSTQFDAAHPT  
NVQRЛАEPSQMLKHAVVNLIINYQDDAELATRAIPELTKLNNEDQVVVNKAAMVHQLSK  
KEASRHAIMRSPQMVSAILVRTMQNTNDVETARCTAGTLHNLSHHREGLLAIFKSGGIPAL  
VKMLGSPVDSVLFYAITTLHNLLLHQEGAKMAVRLAGGLQKMVALLNKTNVKFLAITTDC  
LQILAYGNQESKLIILASGGPQALVNIMRTYTYEKLLWTTSRVLKVLSVCSSNKPAIVEA  
GGMQALGLHLDPSQRLVQNCLWTLRNLSDAATKQEGMEGLGTLVQLLGSDDINVVTC  
AGILSNLTCNNYKNKMMVCQVGGLIEALVRTVLAGDREDITEPAICALRHLTSRHQEAEAM  
AQNAVRLHYGLPVVVKLLHPPSHWPLIKATVGLIRNLALCPANHAPIREQGAIPLRVQOLL  
VRAHQDTQRRTSMGGTQQQFVEGVRMEEIVEGCTGALHILARDVHNRIVIRGLNTIPLFV  
QLLYSPIENIQRVAAGVLCELAQDKEAAEAIEAEGATAPLTELLHSRNEGVTYAAAVLF  
RMSEDKPQDYKKRLSVELTSSLFRTEPMANETADLGLDIGAQGEPLGYRQDDPSYRSFH  
SGGYGQDALGMDPMMHEMGHHPGADYPVDGLPDLGHAQDLMGDPGDSNQLAWFDL  
L

<b>Search in</b>	<b>Protein Knowledgebase (UniProtKB)</b>
<b>Query</b>	<input type="text"/>
<input type="button" value="Search"/> <input type="button" value="Clear"/>	

- ID Mapping
- Retrieve
- Align
- Blast
- Search

## UniProtKB Entry P07476 – History

### Versions

Entry	Sequence	Entry Name	Database	Number	Date	Compare
<a href="#">83 .txt</a>	1 .fasta	INVO_HUMAN	UniProtKB/Swiss-Prot	13.1 / 55.1	2008-03-18	<input checked="" type="radio"/>
<a href="#">82 .txt</a>	1 .fasta	INVO_HUMAN	UniProtKB/Swiss-Prot	12.7 / 54.7	2008-01-15	<input type="radio"/>
<a href="#">81 .txt</a>	1 .fasta	INVO_HUMAN	UniProtKB/Swiss-Prot	12.6 / 54.6	2007-12-04	<input type="radio"/>
<a href="#">80 .txt</a>	1 .fasta	INVO_HUMAN	UniProtKB/Swiss-Prot	12.5 / 54.5	2007-11-13	<input type="radio"/>
<a href="#">79 .txt</a>	1 .fasta	INVO_HUMAN	UniProtKB/Swiss-Prot	12.4 / 54.4	2007-10-23	<input type="radio"/>
<a href="#">78 .txt</a>	1 .fasta	INVO_HUMAN	UniProtKB/Swiss-Prot	12.3 / 54.3	2007-10-02	<input type="radio"/>
<a href="#">77 .txt</a>	1 .fasta	INVO_HUMAN	UniProtKB/Swiss-Prot	12.1 / 54.1	2007-08-21	<input type="radio"/>
<a href="#">76 .txt</a>	1 .fasta	INVO_HUMAN	UniProtKB/Swiss-Prot	12.0 / 54.0	2007-07-24	<input type="radio"/>
<a href="#">75 .txt</a>	1 .fasta	INVO_HUMAN	UniProtKB/Swiss-Prot	11.3 / 53.3	2007-07-10	<input type="radio"/>
<a href="#">74 .txt</a>	1 .fasta	INVO_HUMAN	UniProtKB/Swiss-Prot	11.1 / 53.1	2007-06-12	<input type="radio"/>
<a href="#">73 .txt</a>	1 .fasta	INVO_HUMAN	UniProtKB/Swiss-Prot	10.4 / 52.4	2007-05-01	<input type="radio"/>
<a href="#">72 .txt</a>	1 .fasta	INVO_HUMAN	UniProtKB/Swiss-Prot	9.7 / 51.7	2007-02-20	<input type="radio"/>
<a href="#">71 .txt</a>	1 .fasta	INVO_HUMAN	UniProtKB/Swiss-Prot	9.6 / 51.6	2007-02-06	<input type="radio"/>
<a href="#">70 .txt</a>	1 .fasta	INVO_HUMAN	UniProtKB/Swiss-Prot	9.5 / 51.5	2007-01-23	<input type="radio"/>

□	69 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	9.3 / 51.3	2006-12-12	○
□	68 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	9.2 / 51.2	2006-11-28	○
□	67 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	9.0 / 51.0	2006-10-31	○
□	66 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	8.9 / 50.9	2006-10-17	○
□	65 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	8.8 / 50.8	2006-10-03	○
□	64 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	8.7 / 50.7	2006-09-19	○
□	63 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	8.6 / 50.6	2006-09-05	○
□	62 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	8.4 / 50.4	2006-07-25	○
□	61 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	8.2 / 50.2	2006-06-27	○
□	60 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	8.1 / 50.1	2006-06-13	○
□	59 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	7.5 / 49.5	2006-04-18	○
□	58 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	7.0 / 49.0	2006-02-07	○
□	57 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	6.9 / 48.9	2006-01-24	○
□	56 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	6.8 / 48.8	2006-01-10	○
□	55 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	6.6 / 48.6	2005-12-06	○
□	54 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	5.8 / 47.8	2005-08-30	○
□	53 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	5.5 / 47.5	2005-07-19	○
□	52 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	5.0 / 47.0	2005-05-10	○
□	51 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	4.3 / 46.3	2005-03-15	○
□	50 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	3.5 / 45.5	2005-01-04	○
□	49 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	3.4 / 45.4	2004-12-21	○
□	48 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	2.7 / 44.7	2004-10-11	○
□	47 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	2.5 / 44.5	2004-09-13	○
□	46 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	2.3 / 44.3	2004-08-16	○
□	45 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	2.1 / 44.1	2004-07-19	○
□	44 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	2.0 / 44.0	2004-07-05	○
□	43 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	1.12 / 43.6	2004-06-21	○
□	42 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	1.6 / 43.0	2004-03-29	○
□	41 .txt	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	1.4 / 42.11	2004-03-01	○

<input type="checkbox"/>	<b>40 .txt</b>	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	1.2 / 42.9	2004-02-02
<input type="checkbox"/>	<b>39 .txt</b>	1 .fasta INVO_HUMAN	UniProtKB/Swiss-Prot	1.1 / 42.8	2004-01-16
<input type="checkbox"/>	<b>38 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	42.5	2003-11-21
<input type="checkbox"/>	<b>37 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	42.1	2003-10-24
<input type="checkbox"/>	<b>36 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	42.0	2003-10-10
<input type="checkbox"/>	<b>35 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	41.18	2003-07-25
<input type="checkbox"/>	<b>34 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	41.13	2003-06-20
<input type="checkbox"/>	<b>33 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	41.8	2003-05-16
<input type="checkbox"/>	<b>32 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	41.5	2003-04-23
<input type="checkbox"/>	<b>31 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	41.1	2003-03-25
<input type="checkbox"/>	<b>30 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	41.0	2003-02-28
<input type="checkbox"/>	<b>29 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	40.24	2002-07-26
<input type="checkbox"/>	<b>28 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	40.20	2002-06-06
<input type="checkbox"/>	<b>27 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	40.16	2002-05-02
<input type="checkbox"/>	<b>26 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	40.0	2001-10-18
<input type="checkbox"/>	<b>25 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	39.26	2001-08-29
<input type="checkbox"/>	<b>24 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	39.22	2001-06-20
<input type="checkbox"/>	<b>23 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	39.17	2001-04-27
<input type="checkbox"/>	<b>22 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	39.13	2001-01-24
<input type="checkbox"/>	<b>21 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	39.12	2001-01-11
<input type="checkbox"/>	<b>20 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	39.10	2000-12-01
<input type="checkbox"/>	<b>19 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	39.0	2000-05-30
<input type="checkbox"/>	<b>18 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	38.0	1999-07-15
<input type="checkbox"/>	<b>17 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	37.0	1998-12-15
<input type="checkbox"/>	<b>16 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	35.0	1997-11-01
<input type="checkbox"/>	<b>15 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	34.0	1996-10-01
<input type="checkbox"/>	<b>14 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	33.0	1996-02-01
<input type="checkbox"/>	<b>13 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	32.0	1995-11-01
<input type="checkbox"/>	<b>12 .txt</b>	1 .fasta INVO_HUMAN	Swiss-Prot	31.0	1995-02-01

<input type="checkbox"/>	<b>11</b> .txt	1.fasta	INVO_HUMAN	Swiss-Prot	29.0		
<input type="checkbox"/>	<b>10</b> .txt	1.fasta	INVO_HUMAN	Swiss-Prot	28.0	1994-02-01	
<input type="checkbox"/>	<b>9</b> .txt	1.fasta	INVO_HUMAN	Swiss-Prot	24.0	1992-12-01	
<input type="checkbox"/>	<b>8</b> .txt	1.fasta	INVO_HUMAN	Swiss-Prot	23.0	1992-08-01	
<input type="checkbox"/>	<b>7</b> .txt	1.fasta	INVO_HUMAN	Swiss-Prot	22.0	1992-05-01	
<input type="checkbox"/>	<b>6</b> .txt	1.fasta	INVO_HUMAN	Swiss-Prot	21.0	1992-03-01	
<input type="checkbox"/>	<b>5</b> .txt	1.fasta	INVO\$HUMAN	Swiss-Prot	19.0	1991-08-01	
<input type="checkbox"/>	<b>4</b> .txt	1.fasta	INVO\$HUMAN	Swiss-Prot	18.0	1991-05-01	
<input type="checkbox"/>	<b>3</b> .txt	1.fasta	INVO\$HUMAN	Swiss-Prot	16.0	1990-11-01	
<input type="checkbox"/>	<b>2</b> .txt	1.fasta	INVO\$HUMAN	Swiss-Prot	11.0	1989-07-01	
<input type="checkbox"/>	<b>1</b> .txt	1.fasta	INVO\$HUMAN	Swiss-Prot	9.0	1988-11-01	

>Swiss-Prot|P07476|Release 40.24|26-JUL-2002  
MSQQHTLPVTLSPALSQELLKTVPPPVNTHQEQMKGPTPLPPPCQKVPELPVEVPSKQE  
EKHMTAVKGLPEQECEQQQKEPQELOQQHWEQHEEYQKAENPEOQLKQEKTQRDQQLN  
KQLEEEKKLLDQQLDQELVKRDEQLGMKKEQLLELPQQEGHLKHLEQQEGQLKHPEQQE  
GQLELPEQQEGQLELPQQEGQLELPQQEGQLELPQQEGQLELSEQQE  
GQLELSEQEGQLELSEQEGQLKHLEHQEGQLEVPEEQMGQLKYLEQQEGQLKHLDQQE  
KQPELPEQQMGQLKHLEQQEGQPKHLEQQEGQLEQLEEQQEGQLKHLEQQEGQLEHLEHQE  
GQLGLPEQQVLQLKQLEKQQGQPKHLEEEEQQLKHLVQQEGQLKHLVQQEGQLEQQERQV  
EHLEQQVGQLKHLEEQEGQLKHLEQQQGQLEVPEQQVGQPKNLEQEEKQLELPQQEGQV  
KHLEKQEAQLELPQQVGQPKHLEQQEKHLEHPEQQDGQLKHLEQQEGQLKDLEQQKGQL  
EQPVFAPAPGQVQDIQPALPTKGEVLLPVEHQQQKQEVEQWPPPCKH

Search in	Protein Knowledgebase (UniProtKB)
Query	<input type="text"/>
<input type="button" value="Search"/> <input type="button" value="Clear"/> <input type="button" value="Results &gt;"/>	

- ID Mapping
  - Retrieve
  - Align
  - Blast
  - Search

## UniProtKB Entry **060716** – History

Entry	Sequence	Entry Name	Releases		Compare
			Number	Date	
<b>73</b> .txt	1.fasta	CTND1_HUMAN	UniProtKB/Swiss-Prot	13.1 / 55.1	2008-03-18
<b>72</b> .txt	1.fasta	CTND1_HUMAN	UniProtKB/Swiss-Prot	13.0 / 55.0	2008-02-26
<b>71</b> .txt	1.fasta	CTND1_HUMAN	UniProtKB/Swiss-Prot	12.7 / 54.7	2008-01-15
<b>70</b> .txt	1.fasta	CTND1_HUMAN	UniProtKB/Swiss-Prot	12.6 / 54.6	2007-12-04
<b>69</b> .txt	1.fasta	CTND1_HUMAN	UniProtKB/Swiss-Prot	12.5 / 54.5	2007-11-13
<b>68</b> .txt	1.fasta	CTND1_HUMAN	UniProtKB/Swiss-Prot	12.3 / 54.3	2007-10-02
<b>67</b> .txt	1.fasta	CTND1_HUMAN	UniProtKB/Swiss-Prot	12.1 / 54.1	2007-08-21
<b>66</b> .txt	1.fasta	CTND1_HUMAN	UniProtKB/Swiss-Prot	12.0 / 54.0	2007-07-24
<b>65</b> .txt	1.fasta	CTND1_HUMAN	UniProtKB/Swiss-Prot	11.3 / 53.3	2007-07-10
<b>64</b> .txt	1.fasta	CTND1_HUMAN	UniProtKB/Swiss-Prot	11.2 / 53.2	2007-06-26
<b>63</b> .txt	1.fasta	CTND1_HUMAN	UniProtKB/Swiss-Prot	10.5 / 52.5	2007-05-15
<b>62</b> .txt	1.fasta	CTND1_HUMAN	UniProtKB/Swiss-Prot	10.4 / 52.4	2007-05-01
<b>61</b> .txt	1.fasta	CTND1_HUMAN	UniProtKB/Swiss-Prot	9.7 / 51.7	2007-02-20
<b>60</b> .txt	1.fasta	CTND1_HUMAN	UniProtKB/Swiss-Prot	9.6 / 51.6	2007-02-06

59 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	9.5 / 51.5	2007-01-23
58 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	9.3 / 51.3	2006-12-12
57 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	9.2 / 51.2	2006-11-28
56 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	9.0 / 51.0	2006-10-31
55 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	8.9 / 50.9	2006-10-17
54 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	8.8 / 50.8	2006-10-03
53 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	8.7 / 50.7	2006-09-19
52 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	8.6 / 50.6	2006-09-05
51 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	8.4 / 50.4	2006-07-25
50 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	8.2 / 50.2	2006-06-27
49 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	8.1 / 50.1	2006-06-13
48 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	8.0 / 50.0	2006-05-30
47 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	7.7 / 49.7	2006-05-16
46 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	7.5 / 49.5	2006-04-18
45 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	7.4 / 49.4	2006-04-04
44 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	7.3 / 49.3	2006-03-21
43 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	7.0 / 49.0	2006-02-07
42 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	6.9 / 48.9	2006-01-24
41 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	6.7 / 48.7	2005-12-20
40 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	6.6 / 48.6	2005-12-06
39 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	6.5 / 48.5	2005-11-22
38 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	5.5 / 47.5	2005-07-19
37 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	5.0 / 47.0	2005-05-10
36 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	4.6 / 46.6	2005-04-26
35 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	4.3 / 46.3	2005-03-15
34 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	4.0 / 46.0	2005-02-01
33 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	3.5 / 45.5	2005-01-04
32 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	3.4 / 45.4	2004-12-21
31 .txt	1 .fasta CTND1_HUMAN	UniProtKB/Swiss-Prot	2.7 / 44.7	2004-10-11

30 .txt	1 .fasta	CTD1_HUMAN	UniProtKB/Swiss-Prot	2.5 / 44.5	2004-09-13	○
29 .txt	1 .fasta	CTD1_HUMAN	UniProtKB/Swiss-Prot	2.1 / 44.1	2004-07-19	○
28 .txt	1 .fasta	CTD1_HUMAN	UniProtKB/Swiss-Prot	2.0 / 44.0	2004-07-05	○
27 .txt	1 .fasta	CTD1_HUMAN	UniProtKB/Swiss-Prot	1.10 / 43.4	2004-05-24	○
26 .txt	1 .fasta	CTD1_HUMAN	UniProtKB/Swiss-Prot	1.6 / 43.0	2004-03-29	○
25 .txt	1 .fasta	CTD1_HUMAN	UniProtKB/Swiss-Prot	1.5 / 42.12	2004-03-15	○
24 .txt	1 .fasta	CTD1_HUMAN	UniProtKB/Swiss-Prot	1.2 / 42.9	2004-02-02	○
23 .txt	1 .fasta	CTD1_HUMAN	UniProtKB/Swiss-Prot	1.1 / 42.8	2004-01-16	○
22 .txt	1 .fasta	CTD1_HUMAN	Swiss-Prot	42.0	2003-10-10	○
21 .txt	1 .fasta	CTD1_HUMAN	Swiss-Prot	41.13	2003-06-20	○
20 .txt	1 .fasta	CTD1_HUMAN	Swiss-Prot	41.10	2003-05-30	○
19 .txt	1 .fasta	CTD1_HUMAN	Swiss-Prot	41.15	2003-04-23	○
18 .txt	1 .fasta	CTD1_HUMAN	Swiss-Prot	41.1	2003-03-25	○
17 .txt	1 .fasta	CTD1_HUMAN	Swiss-Prot	41.0	2003-02-28	○
16 .txt	1 .fasta	CTD1_HUMAN	Swiss-Prot	40.39	2003-01-10	○
15 .txt	1 .fasta	CTD1_HUMAN	Swiss-Prot	40.24	2002-07-26	○
14 .txt	1 .fasta	CTD1_HUMAN	Swiss-Prot	40.15	2002-04-16	○
13 .txt	1 .fasta	CTD1_HUMAN	Swiss-Prot	40.10	2002-02-11	○
12 .txt	1 .fasta	CTD1_HUMAN	Swiss-Prot	40.0	2001-10-18	○
11 .txt	1 .fasta	CTD1_HUMAN	Swiss-Prot	39.27	2001-09-26	○
10 .txt	1 .fasta	CTD1_HUMAN	Swiss-Prot	39.26	2001-08-29	○
9 .txt	1 .fasta	CTD1_HUMAN	Swiss-Prot	39.23	2001-07-11	○
8 .txt	1 .fasta	TrEMBL		17	2001-06-01	○
7 .txt	1 .fasta	TrEMBL		16	2001-03-01	○
6 .txt	1 .fasta	TrEMBL		15	2000-10-01	○
5 .txt	1 .fasta	TrEMBL		14	2000-06-01	○
4 .txt	1 .fasta	TrEMBL		13	2000-05-01	○
3 .txt	1 .fasta	TrEMBL		10	1999-05-01	○
2 .txt	1 .fasta	TrEMBL		8	1998-11-01	○

1 .txt

TrEMBL

7

1998-08-01  
O O

>Swiss-Prot|O60716|Release 40.24|26-JUL-2002  
MDDSEVESTASILASVKEQEAQFEKLTRAEEERRHVSQAQLERVRVSPQDANPLMANGTL  
TRRHQNQGRFVGFDADLERQKFSDLKLNGPQDHSHLLYSTIPRMQEPMQIVETYTEDPEGA  
MSVVSVETSDGGTTRRTETTVKKVVKTTRTVQPVAMGPGLPVDAASSVSNNYIQTGGR  
DFRKNGNQGGPGPYVGQAGTATLPRNFHYPPDGYSRHYEDGYPGGSNDYGSLSRVTRIEER  
YRPSMEGYRAPSRQDVYGPQPVRRGGSSVLDHRFHPEPYGLEDDQRSMGYDDLGYGMMS  
DYGTAARRTGTPSDPRRLRSYEDMIGEEVPSDQYYWAPLAQHERGSLASLDLSLRKGPP  
PNWRQPELPEVIAMLGFRDAVKSNAAAYLQHLCYRNDKVKTDRVKLKGIPVLVGLLDHP  
KKEVHLGACGALKNISFGRDQDNKIAIKNCGVPALVRLRKARDMDLTEVITGTLWNLS  
SHDSIKMEIVDHALHALTDEVIIPHSGWEREPNEDCKPRHIEWESVLTNTAGCLRNVSE  
RSEARKLRECDGLVDALIFIVQAEIGQKDSDSKLVENCVCLLRNLSYQVHREIPQAERY  
QEAAPNVANNTGPHAASCFGAKKGKDEWFSGRKPIEDPANDTVDFPKRTSPARGYELLF  
QPEVVRIYISLLKESKTPAILEASAGAIQNLCAAGRWTYGRYIRSLRQEKAISAIADLLT  
NEHERVVKAASGALRNLAUDARNKELIGKHAIPNLVKNLPGGQQNSSFEDTVISILN  
TINEVIAENLEAKKLRETQGIEKLVLINKSGNRSEKEVRAAALVLQTIWGYKELRKPLE  
KEGWKKSDFQVNLNNSRSQSSHSDSTLPLIDRNQKSDDKPDREEIQMSNMGSNTKSL  
DNNYSTPNERGDHNRTLDRSGDLGDMEPLKGTTPLMQDEGQESLEELDVVLVLDDEGGQV  
SYPSMQKI